


Beigel et al

Where a direct influence is possible to the physician, he will never think of attempting to reach his aim by circuitous routes. The straight way in medicine is also the best and most effectual; and those branches of our art which could pursue this direct track, have enjoyed quick and conspicuous progress."—BEIGEL.



## INHALATION OF ATOMIZED FLUIDS,

By H. BEIGEL, M. D., L. R. C. P.

[FROM THE LONDON LANCET]

ON THE

## TREATMENT OF CHRONIC DISEASES OF THE LUNGS,

BY THE

Inhalation of Atomized Fluids,

By MORRELL MACKENZIE, M. D.

[FROM THE LONDON MEDICAL TIMES AND GAZETTE.]

A NEW MODE OF TREATING

## DISEASES OF THE CAVITY OF THE NOSE,

By J. L. W. THUDICHUM, M. D., M. R. C. P.

*Lettsonian Professor of Medicine of the Medical Society of London.*

[FROM THE LONDON LANCET.]

Eighth Edition.


PUBLISHED BY

CODMAN & SHURTLEFF,

13 & 15 TREMONT STREET, BOSTON.

Press of T. W. RIPLEY, 138 Congress Street, Boston.

Box 209





# CIRCULAR.

---

HAVING for several years devoted much attention to constructing Apparatus for the Atomization of Liquids, and having been successful, — we believe, from testimony of the most eminent medical authority, — in producing more simple, reliable, and convenient instruments than any hitherto constructed, we are led to publish, in connection with a description of them, two articles from foreign authors of high standing, in which they show the great advantage of employing Atomized Liquids in diseases of the Throat and Lungs.

We have also introduced an article "On a new Method of Treating Diseases of the Nasal Organs." A description of the Apparatus required for its employment may be found on pp. 22-23. For much valuable information, enabling us successfully to adapt the Apparatus for Atomization to its uses, we are indebted to the physicians of this city specially engaged in the treatment of diseases of the Lungs and Throat, who have openly signified their good opinion of the merits of this form of inhalation, and who urged us to enter upon the manufacture of the instruments we now offer to the profession.

Since we commenced their manufacture, several important improvements in these Instruments have been awarded Letters-patent, and are not found in any other Apparatus for Atomization.

Having had much experience in the manufacture of Apparatus of the kinds described, we can assure purchasers that they are made with the utmost care, with view to complete efficiency, convenience, and durability, and every one is warranted.

A Gold and two Silver Medals, — the highest prizes in each instance, — have lately been awarded us. The Gold Medal was accompanied by the following Report, signed by a leading New England Physician and Surgeon.

**"1503. Codman & Shurtleff, Boston, Mass. One Case Surgical Instruments and Atomizers.** The Committee have no hesitation in awarding for this superb exhibition the highest premium. \* \* \* The various other instruments for Inhalation of Atomized Liquids, and for Local Anæsthesia, were all apparently faultless, both in design and workmanship. The exhibitors are regarded as more especially deserving the highest token of merit for having produced nothing except of their own manufacture.

## GOLD MEDAL.

(Signed)

GILMAN KIMBALL, M. D., *Chairman.*"

The parts of each kind being interchangeable, physicians at a distance requiring new tubes or other parts, can be sure that they will be adapted to the Apparatus previously purchased.

Doubtless many of our patrons, had they the opportunity, would make the inquiry of us, — Which kind of Atomizing Apparatus is, all things considered, the best? Our reply would be that for inhalation, the Steam Apparatus is generally to be preferred:—

1st. Because being self-acting, it produces an even and continuous flow of spray without inconvenience or labor.

2d. The warmth of the spray produced by it is often an advantage.

On the other hand, the Air Apparatus, with suitable tubes, is better adapted for making local applications to the different parts of the fauces, and to external surfaces, and is the only form of Atomizer which can be used for Local Anæsthesia.

For such testimony in regard to the value of our Apparatus, as will be most highly esteemed, we refer to pp. 23-24.

CODMAN & SHURTLEFF,

13 & 15 Tremont Street.

Boston, January, 1875.



CODMAN & SHURTLEFF,


MAKERS AND IMPORTERS OF SUPERIOR

Surgical and Dental Instruments

AND KINDRED ARTICLES.

Established by our predecessors

1838.



Conducted by ourselves since

1853.

Nos. 13 and 15 Tremont Street,

BOSTON.

Benj. S. Codman.

Asahel M. Shurtleff.

F. O. Whitney.

## Suggestions and Remarks relative to Ordering Goods.

---

1. *Your own name and that of your Town, County, and State, should be written distinctly.*
2. *Designate the required article by its name, number, or the number of the cut by which it is illustrated, if described in this pamphlet, or similarly, if described in any other catalogue or publication.*
3. *State whether you wish the articles forwarded by mail, express, or otherwise; and if by mail, enclose funds for prepayment of postage. Our experience in forwarding and receiving by mail, under the new postal law, leads us to recommend that method as very safe, convenient and economical; therefore, for convenience of those who would thus order mailable articles, we designate the sum required for postage, in connection with price.*
4. *To save collection expenses, enclose funds with order. Postal Money Orders, Bankers' Drafts and Registered Letters, may be sent at our risk. When funds are not sent with order, goods will be forwarded by Express, C. O. D., with collection expenses added; or if the party ordering is unknown to us, at a great distance, or out of the United States, we may decline to fill the order.*
5. *Funds in excess of amount of order will be duly returned, and all errors upon our part promptly corrected.*

---

Having our Factory, with steam power, ample machinery, and experienced workmen, connected with our store, we can promptly make to order, in the best manner, and from almost any material, new Instruments and Apparatus, and supply new Inventions on favorable terms.

Orders for Special Instruments, and new articles, should be accompanied with drawings, dimensions, and careful description.

Instruments of other manufacturers furnished at their Catalogue prices.

Articles of European origin, when not on hand, will be promptly supplied by importation through the assistance of our Agents in the prominent manufacturing cities of Europe.

Educational Apparatus for Colleges and Public Schools, imported free of duty.



# Contents.

---

	Page
ABDOMINAL SUPPORTERS . . . . .	86-87
ACUPUNCTURE INSTRUMENTS . . . . .	28
AMPUTATING, TREPPANNING, AND GENERAL OPERATING SETS . . . . .	25
“ “ “ BONE INSTRUMENTS — MISCELLANEOUS . . . . .	26-28
ANEURISM NEEDLES . . . . .	28
ANATOMICAL PREPARATIONS . . . . .	29
ARTIFICIAL LEECHES . . . . .	29
ARTERY FORCEPS . . . . .	27
ASPIRATORS ( <i>cover page</i> ) . . . . .	4
ATOMIZERS AND TUBES . . . . .	17-21
BANDAGES . . . . .	29
BAUNSCHEIDT'S LEBENSWECKER . . . . .	28
BONE INSTRUMENTS . . . . .	28
BREAST PUMPS, SHIELDS, AND SHELLS . . . . .	29
BULLET INSTRUMENTS . . . . .	29
CHIROPODIST'S INSTRUMENTS . . . . .	30
CRUTCHES, CRUTCH BOTOMS . . . . .	29-30
CUPPING INSTRUMENTS . . . . .	29
DISSECTING AND POST-MORTEM INSTRUMENTS . . . . .	30
EAR INSTRUMENTS . . . . .	33
ELASTIC HOSE, BELTS . . . . .	88
ELECTRIC DISKS, BANDS AND SOLES . . . . .	41
ELECTRICAL INSTRUMENTS, MAGNETO-ELECTRIC, ELECTRO-MAGNETIC, GALVANIC BATTERIES . . . . .	34-39
ELECTRODES . . . . .	40
EYE INSTRUMENTS . . . . .	31-32
FEVER THERMOMETERS . . . . .	45-46
HEARING TRUMPETS, TUBES, AURICLES . . . . .	46
HERNIA INSTRUMENTS . . . . .	46
ICE AND HOT-WATER BAGS . . . . .	47
INVALIDS, MISCELLANEOUS ARTICLES FOR . . . . .	47-49
INHALERS FOR ANÆSTHESIA . . . . .	42-44
LANCETS . . . . .	66
LARYNGOSCOPES . . . . .	51



## *Contents.*

	Page
LIGATURE . . . . .	27-28
MEDICINE CHESTS . . . . .	54-55
MEDICINE CASES . . . . .	55
MOUTH, THROAT, AND NOSE INSTRUMENTS . . . . .	50-54
NASAL INSTRUMENTS . . . . .	54
NASAL DOUCHES . . . . .	22-23
NATURALISTS' INSTRUMENTS . . . . .	30-31
OBSTETRIC INSTRUMENTS . . . . .	56-58
OPHTHALMOSCOPES . . . . .	31
PESSARIES . . . . .	58-63
PIPETTES . . . . .	64
POCKET DRESSING CASES . . . . .	64-65
POCKET-CASE INSTRUMENTS — MISCELLANEOUS . . . . .	65-66
POST-MORTEM INSTRUMENTS . . . . .	30
RECTAL AND HEMORRHOIDAL INSTRUMENTS . . . . .	67
RESPIRATORS . . . . .	54
RUBBER ARTICLES, ETC., FOR INVALIDS . . . . .	47-49
SCARIFICATORS . . . . .	29
SPIROMETER . . . . .	72
SPLINTS . . . . .	72
STETHOSCOPES AND INSTRUMENTS FOR DIAGNOSIS . . . . .	69-71
STOMACH PUMPS . . . . .	72
SYRINGES, HYPODERMIC . . . . .	67-68
SYRINGES, ENEMA, VAGINAL, ETC. . . . .	68-69
TAPE MEASURES . . . . .	73
TEETH FORCEPS . . . . .	73
THROAT INSTRUMENTS . . . . .	50-53
TONSILLATORS . . . . .	50
TOURNIQUETS . . . . .	27
TRANSFUSION APPARATUS . . . . .	73
TRUSSES, SUSPENSORY BANDAGES . . . . .	86-87
TROCARS . . . . .	72
TREPHINES . . . . .	28
URETHRA, STRICTURE, AND LITHOTOMY INSTRUMENTS . . . . .	83-84
URINALS . . . . .	48-49
URINE TEST CASES AND INSTRUMENTS . . . . .	82-83
UTERINE AND GYNECOLOGICAL INSTRUMENTS . . . . .	74-82
VACCINE VIRUS . . . . .	85
VACCINATORS . . . . .	84-85
VETERINARY INSTRUMENTS . . . . .	84



*From the London Lancet.*

## ON THE INHALATION OF ATOMIZED FLUIDS.

BY H. BEIGEL, M. D., L.R.C.P.

The application of medicaments is effected in a two-fold manner, viz.: either directly on being applied immediately to the suffering part, or indirectly by being received into the circulation of the blood; so that through this agency, which reaches all parts of the body, it may also affect those parts on which we intend to act. Where a direct influence is possible to the physician, he will never think of attempting to reach his aim by circuitous routes. The straight way in medicine is also the best and most effectual, and those branches of our art which could pursue this direct track have enjoyed quick and conspicuous progress. We need only call to our mind surgery, ophthalmology, midwifery and partly also, the treatment of skin diseases.

But it is not very long since, that even in such cases as catarrh of the conjunctiva, simple ulcers, scabies, &c., very many compound medicines were ordered,—a kind of therapeutics which disappeared with the development of local treatment. Many parts of the body will certainly, by their position, ever exclude a direct proceeding in the matter just spoken of; as, for instance, the basis cranii, the heart, the pancreas, spleen, kidneys, &c., because no natural duct leads us to them. But the natural ways leading to others, which are therefore within our reach, have not been sufficiently appreciated. This was the case with the organs of respiration. The cavum oris and the pharynx were too easily accessible to be overlooked; but the glottis was considered a stoppage for any further advance, and the trespassing on which is almost impossible. One thing remains remarkable: It has always been observed, that one of the most important occurrences in life, respiration, proceeds in the most immediate manner; that the inhalation of different gasses produces very marked effects upon the organism; and although man was, and usually is, so ready to imitate easily explicable phenomena of Nature, and to use them for his benefit, nevertheless the attempts to gain influence upon the body, and particularly upon the organs of respiration, through breathing an artificially-created atmosphere, were very rare.

Grecian, Roman, and Arabian physicians recommended inhalations, but never attempted to use anything but vapors and fumigations; so that a non-volatile chemical body could not come into contact with the organs of respiration. But at all times the urgent necessity of immediate application of medicaments in the organs of respiration was so much felt, that Mascagni, a very renowned physician, once said, "If ever a specific should be devised against consumption, it would be such as to be introduced into the organism through the wind-pipe." Besides this inhalation, some physicians of later date made use of blowing pulverized medicaments into the larynx in diseases of that organ. Aretaeus made use of a tube for blowing, which method in our times has been renewed with great benefit by Trousseau and other physicians. In many Continental spas, arrangements were made to create an atmosphere suffused with mineral water, which the patient was recommended to inhale. But inasmuch as the mineral



water was turned into vapor, it need not be said that the so-called "vaporatoria," or inhalation saloons, were filled merely with common water vapors.

In 1849, Auphan, of Euzet-les-Bains, originated the idea of atomizing the mineral water, by throwing a jet of the liquid against the wall of the inhalatory. After a short time, the same system was adopted in Lamotte-les-Bains. But Sales-Giron first constructed at Pierrefonds an apparatus through which the fluid was subdivided into a fine vapor, which was inhaled by the patients with great benefit. His chief merit consists in his transferring this method from the vaporatory of the spas, to which it was hitherto restricted, into the hands of every physician, by devising a portable inhalation apparatus. Thus a long-cherished wish of physicians was realized, and from that time a new era in the local therapy of the organs of respiration commences. This apparatus of Sales-Giron consists of a vessel filled with the fluid which is to be atomized. Above this vessel an air pump is placed, which compresses the air above the surface of the water. The pressure is indicated by manumetre. The water escapes through a fine opening of a tube, and strikes against a small metal disc, where it is turned into very minute vapor, which is inhaled by the patient. When Sales-Giron placed the results obtained in his vaporatory, and some years later his portable apparatus, before the Académie de Médecine, of Paris, great sensation was caused. At first, it was questioned whether the atomized fluids reached the larynx, the trachea and the lungs. Different opinions arose, and various experimenters arrived at different results. Meanwhile the new method gained more partisans. At last the Académie de Médecine took the investigation into their own hands; and, on January 7th, 1862, Poggiale, the reporter of the elected committee, in a deeply interesting, extensive, and brilliant discourse, gave a substantiated statement of the case, based upon experiments. This statement was entirely in favor of the new method; and it was experimentally proved also by other authorities, that not only the vapor, but the chemical bodies, which by being atomized, are incorporated into it, reach not only the trachea, but the cells of the lungs.

Some time after, (in 1859,) Matthieu constructed an apparatus which he called nephogine, and exhibited it before the Académie de Médecine. But the greatest simplicity in the construction of the inhalation apparatus was attained by Dr. Bergson. He placed two glass tubes with very fine openings at one end, at right angles to each other; the other end of one tube dips into a vessel filled with the fluid which is to be subdivided, while the other is fastened to a caoutchouc tubing, about a yard in length. At the middle of this tubing is attached a rubber ball, and the end extends into a ball also, so that the one in the middle represents an air reservoir, and that of the end a pair of bellows. If the latter is pressed by the hands of the patient, the air in the upper ball is compressed, escapes through the fine opening, and causes a vacuum in the other tube; the fluid of the vessel then ascends through aspiration, and is turned into fine mist when leaving the capillary opening. (See figure 3, page 18.)

Upon this principle, which is as excellent as it is simple, Siegle has based his inhalation apparatus; putting aside the bellows, which fatigued the hands of the patient very much, and substituting a vapor kettle, into which one of the tubes descended. The vapor issuing forth affects the same purpose as the bellows, and the patients inhale comfortably. One inconvenience which all the



apparatus had in common was, that the cloud of vapor containing the subdivided fluid, not only rushed into the mouth of the inhaler, but moistened also his face. With indifferent medicaments this was only disagreeable; but with liquids of a more acrid or caustic nature,—as for instance nitrate of silver,—it was not only disagreeable, by reason of leaving black spots on the face and forehead, but even injurious as a caustic for the eyes. (See note.)

If we set aside the effect, praised by Demarquay, Leiblinger, and others, in conjunctivitis and keratitis, likewise the effect upon the ear, upon ulcers, &c., and only consider the effect upon the organs of respiration from the mouth and pharynx with its arches, the uvula, the glands through the larynx and trachea, with its ramifications to the lungs, we meet with a great number of diseases upon which the local therapy just spoken of exercises a great influence. But as the respiration is performed more or less powerfully and deeply, the atoms of the pulverized fluid reach the more or less distant organs of that function. From this fact it becomes self-evident that it will be necessary to respire feebly, if the influence should be directed upon parts situated in the mouth or pharynx; more powerfully and sometimes strenuously, if it should be our intention to act upon the larynx, trachea, or lungs. And further, as the lungs admit the greatest amount of air when the sitting position is assumed, it is manifest that we should place the patient in that position if we intend a deep penetration of the atomized cloud, whilst we should allow him to stand if we merely intend to act upon organs not so far distant. I do not intend to allude to such individuals as are excited and nervous at the aspect of every, even the most innocent instrument. Suffice it to say, that the inhalation apparatus do not enjoy an exception. But there are persons—happily not frequently met with—whose respiratory channels are so sensitive, even in a healthy state, that they cannot bear inhalations, either with pure water or any other fluid, at the first attempt, and several sittings are necessary to accustom them to the process. All cases of high sensitiveness which I have hitherto observed were patients with laryngeal diseases; whilst with others, and particularly with those suffering from diseases of the lungs, inhalations agreed very well.

The temperature of the atomized cloud, of course varies in proportion to the distance from the spout of the apparatus, and must be regulated according to the nature of the special case. For some patients, it is even necessary to have the fluid to be atomized, warmed. When the apparatus is in order, and ready to act, the patient stands or sits, and inspires more or less powerfully and deeply, according to the requirement of the case. The advice which has been given, that the patient should put out his tongue and keep his nostrils closed, when inhaling, is in my opinion superfluous and useless.

It would exceed the limit allowed me were I to attempt to treat on all the diseases against which atomized fluids in general, and especially inhalations, have been beneficially used. Demarquay has applied them in many cases, pharyngitis-granulosa, ulcera-syphilitica, laryngitis-cronica, and syphilitica, phthisis, &c., and reports that cure or improvement has often been obtained in a few days. Other authors, Zdekauer, Fieber, Schnitzler, Gerhardt, Lewin, Waldenburg, McKenzie, Gibb, and others, report favorable success by inhala-

NOTE.—The use of the Shields described on pp. 17 and 19, serve to surmount these inconveniences most perfectly.



tions in cases of whooping-cough, asthma, inveterate bronchitis, aphonia, tuberculosis, gangrena pulmonum, pneumonia, bronchiectasis, emphysema, &c.

The number of the cures effected, as well as the time in which the cure took place, is far more favorable than in similar cases which were treated internally, and my own experience induces me to agree with that statement. The inhalations form a real specific in certain cases of hemoptysis, in cough which is a result of eccentric irritation of the larynx, or trachea, in hoarseness and aphonia as consequences of acute or chronic inflammation of the mucous membrane of the larynx. The cure is sometimes effected with amazing rapidity, after many other medicaments have been applied without effect. Of many cases which I have observed, I shall here mention a few only.

*Case 1.* A. B —, an unmarried lady, consulted me at the end of last year for hoarseness, from which she had suffered for several years, and which was the more unpleasant to her, as she sang well, and a great deal, previous to that affection, — a pleasure the deprivation of which gave herself and her friends great concern. The voice was coarse and without *timbre*; the larynx was painful only at the beginning; now it is indifferent to external pressure. Laryngoscopy can easily be effected, and shows only a slight unnatural redness of the mucous membrane of the larynx, and of the vocal ligaments. No other inconvenience exists. In course of the affection a great many medicines were tried, and all without any effect. I applied inhalations of alum (ten grains to the ounce of water). After three applications a striking improvement was observed, which, after five, was so complete, that I discharged the patient, advising her not to sing yet; but after a week she could no longer resist, therefor resumed singing, and sang as before the affection.

*Case 2.* C. D —, a merchant from Lima, advised by his physicians, left that country and came to England. His suffering consisted in a severe attack of a very troublesome cough, which came on every eight or ten days, and lasted for a day or two, and then ceased. During that time the sputa were tinged with a good quantity of pure blood. After each attack the patient felt very exhausted. When he came under my observation, he was very pale and emaciated; his voice was coarse. The result of physical examination was infiltration of the left apex; otherwise the conditions were normal. Three days after the examination he had a severe attack; he coughed frequently and very severely, and was not ten minutes without coughing. The sputa consisted more of blood than mucous, and were very copious. The quantity of blood he ejected during the day was about two tea-cups full. I ordered immediately an inhalation of tincture of sesquichloride of iron. The cough did not decrease; but the sputa, after the first inhalation, was not tinged. The patient inhaled twice a day, and had, altogether, thirty inhalations. The intervals between the attacks were, in the meantime, much prolonged. Blood never appeared during the cough, which altogether disappeared when extract of hyoseyamus was substituted for the above mentioned liquor. The appearance of the patient had very much improved; and after six months' stay in this country, he again returned to Lima, whence he has repeatedly written, assuring me of his perfect health.

*Case 3.* E. F —, a vocalist, had caught a severe cold, in consequence of which he was very often attacked with considerable pain in his throat of a choking character; he felt, besides, a burning sensation in the larynx, and his face



was covered with perspiration. Each attack lasted about ten minutes, when it disappeared and returned several times in the course of the day. There was no typical appearance to be observed. The larynx was indifferent to external pressure. The result of laryngoscopy was negative. Blistering, internal application of the acetate of morphia, cannabis indica, opium and iron, were had recourse to, but without any effect. I applied acetate of morphia by means of inhalation, (half a grain to an ounce of distilled water,) and the effect was, a perfect cure after ten applications.

In conclusion, I shall proceed to make a few remarks on the *medicaments I use for inhalation*. Generally speaking, every chemical body which is soluble can be atomized, and therefore inhaled. The largest number of remedies contained in the *Materia Medica* can therefore be used for the local therapy of the respiratory organs. But it must be borne in mind that, besides the local effect, the medicaments are much more readily absorbed through the mucous membrane than they are by internal application,—a fact which must be taken into consideration, when the dose is to be decided on.

The following medicaments are those mostly recommended and found beneficial by practitioners engaged in treatment by inhalation, and which I can recommend from my own experience:—

1. In inhalatory treatment of the respiratory organs, nitrate of silver deservedly occupies the first place. Its dose is three to five or ten grains, in one ounce of distilled water. It is particularly serviceable in inflammatory conditions of the pharynx and the larynx. The strength of the solution, the frequency of the sitting, and the duration of the same, must be adapted to the nature of the particular case. It need scarcely be mentioned that proper care must be taken if strong solutions are inhaled.

2. Much milder in its effects is nitrate of alumina, which, as far as I am aware, was first used by myself in inhalations. I prepared it from a simple solution of the metal in nitric acid, working the crystals in distilled water repeatedly, condensing the solution by evaporation and recrystallizing. It rendered good service, not only in inflammation, but also in nervous affections of the larynx and trachea. The dose is three grains in an ounce of distilled water. Very useful medicaments are the following:—

3. Tannin, — three grains to eight or ten grains in one ounce of water.
4. Alum, — four grains to ten or fifteen grains, ditto.
5. Solution of sesqui-chloride of iron, — one minim to five or ten minims, do.
6. Corrosive muriate of mercury, — four grains to one or two ditto.
7. Acetate of lead, — a grain and a half to eight grains ditto.
8. Sulphate of zinc, — half a grain to five ditto.

9. Common salt, — which has long been considered a most useful agent in the treatment of diseases of the respiratory organs. On the supposition that it was present in the atmosphere near the sea and saline springs, physicians have been in the habit of sending thither patients affected with chest diseases; and to give the full benefit of it to those who are not able to travel, it had always been the object of physicians to create an artificial *sea air*. But it is only since the invention of the inhalation apparatus that this object could be fulfilled. The application of common salt for the purpose of inhalation is therefore very extensive, and produces very marked effects. I make use of it



in doses of from five to ten and twenty grains to an ounce of water; and one ounce is effective, particularly in diseases of the lungs and windpipe. In nervous affections, particularly of the larynx, and also the asthma, narcotics have been used especially.

10. Tincture of opium, — one to ten minims in an ounce of water, and the preparations of opium.

11. The salts of iodine, bromine, chlorine, and some others. Authors report the good effects of arsenic, in the shape of Fowler's solution, and in a dose of half to five minims in a ounce of water. Lastly, besides the different mineral waters, there must be mentioned:—

12. Pure or distilled water, cold or warm, or even as hot as the patient can bear it. It renders, in many cases of inflammation and paralysis of parts of the larynx, good service.

[From the London Medical Times and Gazette.]

### ON THE TREATMENT OF CHRONIC DISEASES OF THE LUNGS BY THE INHALATION OF ATOMIZED LIQUIDS.

BY MORELL MACKENZIE, M. D.

The author, after an elaborate description of the various instruments invented for the purpose of introducing medicine by means of inhalation, enters into an account of the apparatus invented by Dr. Siegle, of Strasbourg, and himself, which he describes. Dr. Siegle's simple apparatus is an excellent one, and the author stated that he had often used it with great advantage. After enumerating the physicians and physiologists who had worked at the subject on the Continent, the author analyzed the experiments which had been performed by Demarquay, Fournie, Brian, and others, on rabbits and dogs. He then related his own experiments, which had been carried out in conjunction with Dr. Duchesne, of Woodford. After detailing various experiments performed on pigs and dogs, Dr. Mackenzie sums up the results. 1st, Demarquay's and Brian's experiments on dogs; 2d, his (Dr. Mackenzie's) on pigs and dogs; 3d, an experiment performed by Demarquay, in the presence of numerous witnesses, on a woman with a tracheal fistula, in which it was shown that the inhaled liquid penetrated to the trachea, though there was a great obstruction at the upper opening larynx. This experiment, which had been previously unsuccessfully performed by Fournie, has since been repeated by Lieber, Schnetzler, and others, with results similar to those obtained by Demarquay. 4th, the fact first shown by Bataille, and since by Moura Bourouillou, the author, and others, that after the inhalation of a colored atomized solution the sputa remained tinged long after the employment of the laryngoscope could detect any traces of the material used. On the one hand there was an immense number of positive proofs of the penetration of atomized liquids: on the other hand there were a few experiments performed, with negative results. It was scarcely necessary to remark that any experiment might be performed — the most simple chemical test employed — in a manner to insure failure.

But a few experiments of this sort could have little weight against the mass of evidence on the other side. The author stated that the greatest benefit from this system of therapeutics might be expected and had resulted, in bron-



chitis, asthma, and hæmoptysis. He brought forward twenty-two cases treated between October, 1863, and January, 1864. There were ten cases of bronchitis, six of phthisis, two of hæmoptysis, three of asthma, and one of whooping-cough. The author did not believe that in the phthisis the treatment would have a positively curative effect, but was beneficial in cutting short intercurrent bronchitis. Of the twenty-two cases detailed, only two were unable to make use of this curative process. Of the ten cases of bronchitis, eight were cured, one relieved, and one obtained no benefit. The average duration of the time required for curing these cases, though most of them were severe, and of long standing, was only fifteen days and a quarter. The shortest time was six days (a severe case); the longest forty days. The duration of treatment was not in proportion to the severity of the disease, one mild case requiring twenty-eight days to get well. Of the six patients laboring under consumption, two were unable to use the inhalations on account of the irritation which they caused. Of the remaining four cases, while the physical signs did not undergo any material alteration, the local symptoms (expectoration, pain and cough) were greatly relieved. The general health was much improved in two cases, Nos. 11 and 15, slightly in a third, and not at all in a fourth. In two cases of hæmoptysis, one severe and the other slight, the atomized liquids rapidly stopped the bleeding. In three cases of asthma, one a very severe case, which had obstinately resisted the ordinary treatment, this system of therapeutics, soon gave relief. In one case of whooping-cough (in an adult) the inhalations gave immediate relief, and quickly effected a cure. The author stated that during the past year he had used atomized liquids in more than eighty cases of diseases of the lungs, and that he had found the plan of treatment no less successful than was detailed in this paper.

The various instruments referred to in the communication were brought before the society, and likewise diagrams illustrating their action and method of employment. Dr. Gibb said that the subject of the author's paper was one of the highest importance, and in which he took the greatest interest. In the earlier part of his professional career, he (Dr. Gibb) had looked forward to the time when some means might be devised for introducing fluid in a minute state of division into the interior of the bronchial tubes, which would prove more certain in its effects than the vapor inhaled from certain substances. From the evidence brought forward by the author, illustrated by experiments of his own and Continental investigators, he had not the slightest doubt that any atomized fluid reached the minutest bronchial tubes and air cells; and from his own experience of the inhalation of fluid thus atomized or pulverized, he was quite satisfied such was the case. With Siegle's atomizer, he had caused the inhalation of a solution of the iodide of silver, for a few minutes only, in a case rapid phthisis in the second stage of the disease, with profuse expectoration and laryngeal mischief. The effect of this was a general feeling of warmth throughout every part of the chest, and subsequent diminution of the expectoration. This feeling of warmth so generally diffused, convinced him that the atomized fluid had reached the minutest bronchi. As a palliative in some cases of phthisis, and as likely to diminish the amount of expectoration, the inhalation of atomized fluids would prove useful; but it never could be relied upon as a curative agent in this disease. With regard to bronchitis, the chronic form especially, asthma and



hæmoptysis, his own experience agreed with that of the author, and showed that in many cases the greatest amount of relief could be obtained. Indeed, he had been surprised at the good results which sometimes followed,—in the two former, especially. As furnishing an additional and most useful therapeutic agent, in the treatment of laryngeal and chest diseases, the inhalation of certain atomized fluids must be regarded as one of undoubted value, and he (Dr. Gibb) gladly bore testimony in its favor.

*From the London Lancet.*

## ON A NEW MODE OF TREATING DISEASES OF THE CAVITY OF THE NOSE.

BY J. L. W. THUDICHUM, M. D., M.R.C.P.

LEETSONIAN PROFESSOR OF MEDICINE OF THE MEDICAL SOCIETY OF LONDON.

The treatment of diseases of the cavity of the nose has hitherto been attended with very great difficulties, owing to the circumstance that the cavity is large, complicated by many sinuosities, interrupted by many thin, bony, and membranous projections, and therefore little accessible, and for the most part not accessible at all, to instruments by which growths might be removed, or topical remedies applied. The removal of excrescences from the lower and median nasal canal was yet the most successful of surgical operations, although it was frequently left incomplete, or remained unavailing, owing to the speedy return of the polypi. But the topical application of remedies for the treatment of acute and chronic affections of the nasal cavity, which is certainly the principal therapeutic requirement, and in many cases prevents the formation of polypi, could only be attempted by mechanical contrivances which were so objectionable to the patients, that, after longer or shorter trials, they had to be abandoned. I have had under my own care several important cases of affection of the nasal cavity, in which the mere possibility of cleansing the cavity of the nose would have been a great boon to the patients; others, in which I have no doubt the application of remedies, such as we are in the habit of using in conjunctivitis, would have effected a speedy recovery from painful and troublesome conditions. The only mode of cleansing the cavity of the nose, which was then known in medical science, was by injections with a syringe; but, owing to the velocity with which the injected fluid touched the walls of the nose, this process always created much irritation, pain, sternutation and lachrymation, and the patients mostly opposed the entrance of the fluid by expiratory efforts, which, indeed, were the only means they had of preventing the fluids from running down the choanæ and reaching the larynx. The mere effect of pure water upon the Schneiderian membrane being highly irritating, two causes combined to defeat the object of injections of water; and when medicines which might be supposed to have a beneficial effect upon the diseased Schneiderian were dissolved in the water, they, although perhaps better tolerated than pure water, could not be kept sufficiently long in contact with the affected parts to exercise upon them even such slight medicinal action as their necessarily diluted state permitted. There was a third application that could be made,—namely, the introduction of medicines in the form of fatty or mucilaginous ointments. In one case in which I endeavored to benefit a chronic ozæna—a residue of



scarlet fever — by topical applications, a solution of sulphate of zinc in intimate mixture with lard, had a most decided effect, the patient being much improved, though not cured. But this application of ointment to the surface of the lower canal of the nose, and to a part of the median canal, (which are the only portions that, as a rule, can be reached, even by clever manipulation,) is the most objectionable of any, so far as its accompaniments of irritation and pain are concerned, sternutation and lachrymation being nor rarely long continued after it, and the peculiar pain producing a reluctance on the part of the patient, which it is difficult to overcome in young and old people. All these applications, then, were partial, imperfect, irritating, and consequently unavailing to effect the desired end. Many cases of superficial ulceration ended in caries, embittering the life of the patients, and, through the odor, making intercourse impossible and family relations troublesome; other cases of chronic inflammation ended in deformity of the external nose and the formation of polypi in its cavity, and produced a constant false resonance of the voice; a number lasted throughout a lifetime, the nose being a constantly weak part, and capable of prostrating the patient at any opportunity which dust and wind might afford; others had consequences even more severe, and the specific ulcerations of the cavity of the nose only too frequently terminated in that sinking of its bridge, which is the most painful proclamation of disease with which a patient can become afflicted. Then there were the convulsive affections produced by local irritation in the nose — those cases of fabulous sneezing in which hardly any remedy availed, even in diminishing the number of spasms in time, because the centre and seat of the irritation could not be reached by medical agencies. Truly dangerous were some cases of bleeding from the nose, in which the broken blood-vessel could not be reached by either styptics or mechanical compression, and could not be made to contract by contact with that most powerful of hæmostatic agents, ice or ice-cold water. Not a few cases of this kind terminated fatally, or required the most desperate measures to prevent the fatal end, such as plugging of the nose and choanæ with sponges or tinder; and these not rarely left a condition of anæmia in which other accidental diseases could put a stop to life with comparative ease, or which continued without the supervention of other diseases, enfeebling and considerably shortening the rest of the life of such patients.

All these difficulties, and many more which might be mentioned, are removed at one stroke by the discovery of Professor Weber, of Halle: that when one side of the nasal cavity is entirely filled through one nostril with fluid by hydrostatic pressure, while the patient is breathing through the mouth, the soft palate completely closes the choanæ, and does not permit any fluid to pass into the pharynx (a physiological fact thus far already discovered by E. H. Weber, of Leipzig, before 1847, and published in Muller's *Archiv.* 1847, pp. 351-354); while the fluid easily passes into the other cavity, mostly round and over the posterior edge of the septum narium, in some persons also through the frontal sinuses, and escapes from the other open nostril, after having touched every part of the first half of the cavity of the nose, and a great part, certainly the lower and median canal, of the second half. By means of the application of this principle to the treatment of diseases of the nose, it is possible easily and frequently to wash the nasal cavity, to disinfect and deodorize it, to remove the



sordes which accumulates so easily in it, and to apply to its surface a great number of beneficial medicinal substances, so as to prevent acute affections from extending, and to incline them towards a speedy recovery; to stop hæmorrhages, allay irritations, and subdue in a remarkable manner, chronic affections of the Schneiderian membrane, so as to re-establish a perfectly healthy surface and normal condition of the organ of smell.

*The Apparatus.\**—A rod of iron or brass, thirty inches in length, is fastened upright, into a heavily-loaded foot, so as to form a firm stand. On this rod slides a nut which can be fixed at any height by means of a screw, and carries an arm and ring, in which is cemented a high cylindrical glass vessel of a capacity of from one to two pints. The glass vessel is open above, and its cavity contracts within the ring in which it is fastened, here directly to pass into a small-bore muzzle, to which a suitably-sized flexible india-rubber tube, thirty-six to forty inches in length, is fastened. To the other end of the india-rubber tube a stop-cock is fixed; upon this a little cup-shaped collar, and upon this the cylindrical perforated muzzle of gutta-percha or of prepared india-rubber. If now the glass vessel is filled with fluid, and the little stop-cock immediately underneath the nozzle is opened, the fluid will escape at the fine openings of the nozzle; and if the nozzle accurately fits the nostril, and the fluid is allowed to flow, the fluid will enter and fill the cavity of the nose, as will be more especially described hereafter. Great care must be taken to ensure an adequate fitting of the nozzle to the nostril of the person who is to be operated upon, as, if fluid escape by the side of the nozzle, it makes the operation difficult and troublesome. It is therefore necessary to have several sizes of nozzles, to be fixed upon the stop-cock at will. In order to avoid all possible chances of infection, and ensure cleanliness, I lay it down as a desideratum, that every person using the apparatus should have his or her own nozzle, to be used exclusively by that person. In dispensaries and hospitals where this cannot be so easily effected as in private practice, the utmost care should be exercised to clean the nozzles from any semi-solid matter which easily becomes firmly adherent to them. As the current is always directed outwards through the openings, there is hardly any chance of the interior of the nozzle becoming unclean or infectious. Yet it will be well to give to each patient, particularly if he be the subject of specific disease, his own apparatus. Even the suspicion that a patient might, by accident, blow into the tube and endanger his successor, will thus be avoided.

*Of the fluids to be employed for rinsing the nose.*—Pure warm water, when introduced into the nose by means of the apparatus, causes in most persons a very disagreeable sensation, ending in lachrymation and sternutation (or tears and sneezing), with subsequent copious discharge of watery mucous from the nose. If the quantity of water run through the nose be large, the "cold" produced thereby, including the change in the sound of the voice, may last for some hours. To avoid this objectionable symptom, it is best to employ solutions of common salt, or other salts, of sugar or milk for rinsing the nose. In the course of practice, cases will arise in which all these solutions offer advantages. For general use, a solution containing one ounce of common salt in a pint of water, is satisfactory. Some persons will bear less salt; others will

\* For description of apparatus as made by us, see pages 21-23.

tolerate more. Of this solution, having a temperature rather lower than that of the blood, from one to four, or if desired, any number of pints, may be allowed to flow through the cavities of the nose. It does not easily produce sneezing, rarely lachrymation, and hardly ever any subsequent symptom of cold in the head. The saline solutions, which next to common salt, offer the greatest advantages, are those of the common phosphate of soda, and phosphate of ammonia and soda. They can be used by themselves, or mixed with the common salt. Their alkalinity has a beneficial effect upon the irritated Schneiderian membrane, and dissolves, or loosens any deposits of mucous or pus, which so frequently dry and harden upon the surfaces of the nasal cavity.

*Of the fluids to be employed for deodorizing the nasal cavity.* — For this purpose I have employed dilute solutions of permanganate of potash. This agent has done me such excellent service in removing the fetor of the mouth in cases of typhoid fever, that I was induced to apply it for the removal of the fetor of ozæna, and with the most striking and immediate success. A solution of from one grain to ten grains in a pint of water is a good proportion, according to the severity of the case. The solution tastes alkaline, and acts as a feeble escharotic upon healthy and particularly upon vascular and erythematous parts. When the margin of the nostrils is excoriated, the permanganate colors the excoriated part brownish; but the effect of this is rather beneficial than otherwise, as the excoriated and colored part dries easily, and after the shedding of the faint brownish pellicle, appears healthy.

*Mode of applying these and other fluids to the nose by means of the apparatus.* — The fluid, of the proper composition and temperature, is filled into the glass vessel. All air in the india-rubber tube is now replaced by fluid, the escape of the air upwards being facilitated by gentle manipulation. The glass vessel is raised and fixed in the position which will give the desired pressure. A little fluid is now allowed to escape from the nozzle, to make sure that all air is expelled. The patient (or healthy person, if it is only desired to show the physiological experiment) is seated in front of a basin, with his head and face slightly bent over it, the apparatus standing by his side. He is told to breathe through his mouth exclusively, and abstain from swallowing. The nozzle previously selected as of proper size, and connected with the apparatus, is now inserted into one of the nostrils, and held there by the patient's hand of the same side. The little stop-cock (or tube) is now opened, and after a few seconds a continuous and rapid stream of fluid is seen to flow from the opposite nostril into the basin below. Persons who have control over themselves will always bear the experiment as here described; but young persons, nervous females, and children, become confused, begin to cry, or to swallow and breathe through the nose. In such cases the level of the fluid in the glass should be very little above the level of the introitus into the external ear, so that the fluid runs very slowly, or only drops out of the free nostril. The hand of the operator should be upon the india-rubber tube, to close it by compression the moment he sees bubbles come through the nostril, or perceives that the patient swallows or becomes confused. It is always well to let the fluid pass at first under slight pressure, in order to allow sordes within the nose to be loosened and crusts of dried matter to be softened. When this has been effected, it is useful suddenly to raise the glass vessel and produce a rapid stream, which will then



scour the impurities away. In some cases I have done this repeatedly with success. The loosening of crusts and lumps of inspissated mucous is always attended with some irritation, and also with retardation and diminution of the current of fluid. The sudden increase of the pressure is the surest means of causing the least inconvenience to the patient, and effecting in the quickest manner the purpose of the operator. It is also well to reverse the current now and then, as sordes are much better detached in that manner. If only one nostril is diseased, or the principal seat of the disease, I allow the fluid to enter by the opposite side, and to leave by the affected nostril. I then change the current, and filling the affected nostril, allow the current to leave by the healthy one. Thus, half a dozen or a dozen changes may be usefully instituted. It is really surprising what an amount of sordes will sometimes be removed from the nose by the rinsing process. Any one who has seen it once, will easily conceive the manner in which, by means of these constant accumulations, nasal diseases became chronic, incurable, and lead to fearful suffering and death. When water has been allowed to run through the nose, it takes two minutes and a half, before the sense of smell returns to its integrity. When saline solutions have been used, it takes about a minute and a half; but after the alkaline solutions a minute suffices to allow the perception of odors to be clearer than before the application. If the special excitant of the olfactory, as the perfumers term it, the neutralizer and stirrer-up of smell, ammonia, is applied immediately, even in less time than a minute will be sufficient. There are cases of chronic coryza, with some blenorrhagia, in which the affection of the Schneiderian membrane prevents patients from satisfactorily performing their business, which requires a full command of the organ of smell. Chemists, perfumers, wine merchants, provision merchants, and others, may belong to this category. In cases of this kind the topical treatment is beneficial. After the application of alkaline solvents in particular, the sense of smell is clearer.

I hope that the advance which we are making in the treatment of diseases of the nose, may be shared by its physiology. There is no greater enjoyment of Nature's triumphs, and no greater safeguard against noxious things of all kinds, than a healthy nose.

*Of the medicinal solutions which may be applied to the cavity of the nose.*—Although the solutions before enumerated act in a measure as alteratives, resolvents, and escharotics, and, therefore rarely constitute a sufficient medical application by themselves, yet they are more frequently used for preparing the nose for the application of more energetic and specifically acting solutions. To this latter class belong the solutions of alum, sulphate of zinc, and sulphate of copper—the best astringents; the solutions of nitrate of silver, and bichloride of mercury—the most suitable alteratives; and the solutions of chloride of calcium, in which suboxide or oxide of mercury is suspended in a finely subdivided state, together with the bichloride solutions—the best specifics. Of stimulating solutions, a mixture of eau de Cologne with water or salt water, is sometimes useful.

The probable concentration of these solutions can be surmised from the circumstance that the sensibility of the healthy nasal cavity stands about midway between that of the eye and the mouth. When the nasal cavity is completely filled with fluid, the specific sense of smell cannot any longer be exercised;

even the solution of eau de Cologne is not perceived to be such when it once fills the nose. The sense of smell being thus entirely obliterated by the fluid contained in the nose, the reflex effects which substances may exercise by means of this sense are entirely absent; and the only impingement which the fluids can produce is upon the filaments of sensitive nerves coming from the fifth pair. It is owing partly to this circumstance that comparatively strong medicinal solutions are borne by the nasal cavity without great secretion. Another circumstance favoring the application of stronger solutions is the ready manner in which the healthy service of the nose defends itself against irritating, chemically-impinging substances by means of a copious flow of mucous. Excoriated or ulcerated parts lack this power of rapid secretion; and hence they are affected by medicinal solutions much more than the healthy parts of the surface of the nasal cavity. What is here stated is the general result of experience and experiment; but, at the same time, I must insist that the application of medicinal solutions in each case should be begun with the greatest caution, as individuals differ greatly in point of irritability of the nasal cavity. In the beginning, therefore, very dilute solutions of medicinal substances should be used, and their strength be increased gradually, after their effect has been well exhausted by the use of greater quantities, applied by a quick flow, or the use of smaller quantities in a slow current distributed over a longer time of contact.

*Solution of alum.* — Half an ounce of roughly-powdered crystalized alum is dissolved in a small quantity of hot water, and the solution made up to one quart by means of cold and tepid water in such a manner as to ensure that the temperature of the solution should be below, but near to, blood heat. In superficial ulceration or blenorrhagic conditions this solution is well borne. Ulcerated parts, which before its application were red, mostly appear as white patches after its application, thus showing that the effect of the alum on the ulcerated surface has been considerable. When I was desirous to manage with smaller quantities of solutions, I have sometimes mixed a little permanganate solution with that of alum.

*Solution of sulphate of zinc.* — From a scruple to a drachm of the sulphate of zinc, dissolved in a quart of warm water, together with half an ounce or an ounce of sulphate of soda or sulphate of magnesia, gives a suitable fluid.

*Solution of sulphate of copper.* — Of this sulphate also from a scruple to a drachm, mixed with half an ounce or an ounce of soda sulphate or magnesia sulphate, can be dissolved in a quart of warm water.

*Solution of acetate of lead.* — Of this crystalized acetate from a drachm to two drachms, together with half an ounce or an ounce of crystalized acetate of soda, may be dissolved in a quart of warm water.

*Solution of nitrate of silver.* — Of this salt not more than from half a grain to a grain should be dissolved in each ounce of water. A quart of water, therefore, in which previously from half an ounce to an ounce of nitrate of soda has been dissolved, may receive from sixteen to thirty-two grains of the nitrate. In particular cases the solution may be made stronger. The nitrate of potash is not so good as the nitrate of soda, because it has slightly irritating qualities. When it is necessary to use it in an emergency, when soda nitrate cannot be had, the solution should be more diluted.

*Solution of bichloride of mercury.* — The greatest caution is necessary in



the use of this agent, as it has a tendency to produce excoriations on healthy surfaces. The first solution to be employed should be one containing fine grains of corrosive sublimate in a quart of water, in which an ounce of common salt is also dissolved.


*Solution of chloride of calcium with suspended oxide or sub-oxide of mercury.*—These fluids are the common phagedænic waters, or black and yellow wash, to which common salt has been added. Two drachms of calomel, twelve fluid ounces of lime-water, one ounce of common salt, and twenty ounces of warm water, yield the black solution. One scruple of corrosive sublimate, one ounce of common salt, twelve fluid ounces of lime-water, and twenty fluid ounces of common warm water, yield the yellow wash. These mixtures must be well agitated in the glass vessel while being allowed to run through the nasal cavity.

*Sedative solutions.* Of prussic acid forty minims to the quart of warm salt water, of tincture of opium two drachms, may be taken. These drugs may be added to some of the above solutions of metallic salts. But if this is desired, it is better to substitute a solution of morphia for tincture of opium. The prussic acid is incompatible with the copper, silver, and precipitated mercury solutions; it goes conveniently with the alum and common salt solutions.

*Styptic or hæmostatic solutions.*—Amongst these, ice-cold salt water, containing an ounce of salt to a pint of ice-water, takes the first place. When this, after having been continued for a considerable time, is insufficient to stop the hæmorrhage, a fluid ounce of the tincture of the sesquichloride of iron may be added to each pint of ice-cold salt water.

*Stimulating solutions.*—One ounce of eau de Cologne upon ten ounces of salt water, is a useful stimulant. Strong spirit of wine may be taken in place of the eau de Cologne.

I have now fully, and for some readers, perhaps, somewhat too explicitly described a number of medicinal solutions which may with advantage be applied to the treatment of nasal diseases by the method in question. I was desirous to impress upon the memory of the reader the fact that I recommend only such solutions as are brought up to a certain specific gravity by salts which do not decompose the medicinal agents. There may be cases in which it is desirable to swell the Schneiderian membrane by watery fluid and produce endosmosis, and others in which highly concentrated solutions may beneficially be used to effect exosmosis and shrivel Schneider's membrane. These adaptations, and the various accommodations of the fluids and their degrees of concentration, I must leave to the skill and ingenuity of those who make use of this method. They will also probably multiply the resources of the rhino-therapeutic pharmacy, and thereby add to the success and certainty of this interesting method of treatment.



## DESCRIPTION OF APPARATUS FOR TREATMENT OF DISEASES OF THE THROAT AND LUNGS,

BY MEANS OF ATOMIZED MEDICATED LIQUIDS.

EACH OF THE APPARATUSES IS PACKED FOR TRANSPORTATION, AND FURNISHED  
WITH DIRECTIONS FOR USING.




FIG. 15. The Complete Steam Atomizer,  
For Inhalation, &c.

Patented Mar. 24, 1868, and Mar. 16, 1869.

*Fig. 15. The Complete Steam Atomizer.*  
The name *complete* is used in connection with this apparatus with particular reference to the *quality of its performance*, as under no circumstances does it throw out little jets of hot water to frighten or scald the patient. The word is also appropriate when used to describe the apparatus itself, as it is the result of much care in arrangement, and of expense in the machinery employed for its construction. On account of its convenience, durability, portability, compactness, and cheapness (in the best sense of the word), we think it adapted to come into almost universal use by physicians for their patients, and by patients at their homes.

It consists of the sphere-shaped brass boiler *A*, steam outlet tube *B*, with packing-box *C*, formed to receive rubber packing, through which the atomizing tube *D* passes, steam-tight, and by means of which tubes of various sizes may be tightly held against any force of steam by screwing down its cover while the packing is warm; the safety-valve *E*, capable of graduation for high or low pressure by the spring and screw in its top, the non-conducting handle *F*, by which the boiler may be lifted while hot, the medicament-cup and cup-holder *G*, the support *H*, base *I*, the glass face-shield *J*, with oval mouth-piece connected by the elastic band *K* with the cradle *L*, whose slotted staff passes into a slot in the shield-stand *MM*, where it may be fixed at any height or angle required by the milled screw *N*.

The shield-stand is formed into a handle just above the waste-cup *O*, and its base is formed to receive and hold this cup. It has also a sliding arrangement and set-screw, by which it may be fixed any desired distance from the atomizing tubes.

The boiler is supplied with water through the opening into which the safety-valve is screwed.

All of its joints are *hard soldered* and cannot be separated by any heat short of redness or any pressure attainable with the lamp. Every one is carefully tested to a pressure of more than one hundred pounds to the square inch, and no accident can happen to frighten the patient or injure the apparatus, should the water in the boiler become entirely exhausted.

The spirit lamp *P* is of brass, and is provided with means of graduating the flame, and with an extinguisher.

The waste-cup, medicament-cup, and lamp, are held in their places in such a manner that they cannot fall out when the apparatus is carried or used over a bed or otherwise. The apparatus is contained in a strong wood box  $7\frac{1}{2} \times 4 \times 8$  inches; it can be carried from place to place by the practitioner without removing the atomizing tubes or the water; it can be unpacked and put in position for use in one minute, and repacked in a box in as short a time.

		Postage.	
<b>Price of this Apparatus</b> , as represented in the cut, including two Glass Atomizing Tubes, extra packings, and Shield Band		\$6.00	.32
*The same, with all the brass parts, —i. e., the Boiler, Shield Stand, Lamp, and their attachments, Nickel-plated, —thereby giving the Apparatus an exceedingly neat and pleasing appearance		8.50	.32
Either of the above in neatly made, strong, Black Walnut box, with handle, additional		2.50	.22
Extra Face Shields, for mouth inhalations, any size, including Elastic Band, each		.50	.04
Extra Face Shields, with curved up end to enter nostril, including do., each		.50	.04
Glass Atomizing Tubes, each, 25 cents.; Silver do., \$2.00; Silver and Platinum		4.00	.02
Metal Atomizing Tubes, Nickel-plated, each		1.00	.02

\* See note at foot of page 20 in regard to Nickel-plating.



**The Complete Steam Atomizer, large,** Apparatus No. 46, intended for use of hospitals and for office use of physicians requiring the almost constant use of the Atomizer.

The boiler will contain twenty-six ounces of water, or enough for four to six hours of constant use. This Apparatus has the same parts and details as the preceding, and is made with the same care and thoroughness. It is contained in a box 12 x 6½ x 11 inches.

<b>Price,</b> including two Glass Atomizing Tubes, and extra packings . . . . .	\$15.00	Postage.
Extra Face Shields, including brass band . . . . .	1.00	.06
Glass Atomizing Tubes, each 25 cents; Silver, \$2.00; Silver and Platinum . . . . .	4.00	.02
*Apparatus No. 46, Nickel-plated, as described in connection with No. 15 . . . . .	20.00	




Fig. 2.

Fig. 2 represents **Dr. H. K. Oliver's Hand Instrument**, as described in a paper on Atomization, contributed by him to the "Boston Medical and Surgical Journal" of March 8, 1866. A, Elastic Bulb with Valves, serving as a bellows to produce the spray within the jar. B, the Bergson Atomizing Tubes, the upright arm being formed in part by a rubber tube, which dips into the medicament placed in the bottom of the jar. C, opening for the admission of air.

In this instrument the receptacle for the medicament and the shield for the protection of the face are united in one piece, while the spray is rendered exceedingly fine by being thrown forcibly against the side of the jar.

**Price,** with two Atomizing Tubes, \$4.00; postage, .10. Price of Atomizing Tubes alone, 25 cts. each. With Double Bulbs, instead of a Single one, \$5.50.




Fig. 3.

Fig. 3. **Clarke's Atomizer.** This Apparatus is essentially the same in form as that of Dr. Andrew Clarke, of England, but of improved construction. It consists of the Elastic Bulb, F, which, with its valves, serves to force air into the Elastic Chamber G, which, alternately expanding and contracting, supplies a steady stream of air to the Atomizing Tubes I, one branch of which dips into the vial containing the medicament. The stopper is of elastic rubber (patented),

and fits perfectly the atomizing tubes and the vial. In addition to its other uses, this instrument constitutes a perfect Douche for bathing and making medicinal applications to burns, sensitive eyes, inflamed surfaces, painful sores, and for perfuming or disinfecting the sick-room.

**Price,** with two Glass Atomizing Tubes, \$3.50; postage, .10. For other Tubes, see Fig. 47, p. 20.




Fig. 4.

Fig. 4. **Freezing Apparatus** for producing Local Anæsthesia.

This form of Apparatus—similar to that represented in Fig. 3, with the exception of Atomizing Tubes, which are of metal,—is all that is required for producing Local Anæsthesia by freezing with Ether, as employed by Dr. Richardson of London, or with Rhigolene, as described by Dr. H. J. Bigelow of Boston, in the "Boston Medical and Surgical Journal," of April 19, 1866.

The Metallic Tubes, which accompany this Apparatus, are equally efficient for inhaling purposes, except for liquids liable to be vitiated by contact with metal,

for which glass or silver, or silver and platinum tubes should be used.

<b>Price</b> of Apparatus, with Nickel-plated Freezing Tubes . . . . .	\$5.00	Postage.
With two Glass Bergson Atomizing Tubes, and vial (fitted), thus combining in one . . . . .	6.00	.10
the two Apparatuses for freezing and atomizing, represented in Figs. 3 and 4 . . . . .	2.00	.02
Of Nickel-plated Freezing Tubes alone . . . . .		

\* See note at foot of p. 20 in regard to Nickel-plating.




Fig. 5.

Fig. 5 represents **Shurtleff's Atomizing Apparatus**, (patented). It is similar to Dr. Clarke's (Fig. 3), but has the Shield *B* in addition. When used for inhalation the end of the Shield is taken into the mouth, and serves both to protect the face and to depress the tongue, so that a direct and powerful current of spray may reach the throat.


For making external applications the Shield may be used to direct the spray upon a small surface only, or it may be disconnected, and the apparatus used without it.

As all superfluous spray is turned to liquid by striking the inner walls of the Shield, and is returned again to the vial by a suitably formed orifice through the rubber stopper, this apparatus is very economical of the medicament, — a matter of some importance, when expensive liquids are employed.

Extra Shields of uniform or of various sizes will be furnished, if required, and can be connected with the other part of the apparatus without loss of time by passing them into the elastic rubber band which secures them to the upright standard.

At *F* is a joint controlled by a thumb-screw, on which the Shield swings when the vial is filled or emptied.

		Postage.
<b>Price</b> , with two Glass Atomizing Tubes . . . . .	\$4.00	.12
Extra Face Shields for mouth, or nose, to fit this Apparatus, or No. 22, either . . . . .	.25	.02
For other Tubes to fit this Atomizer, see Fig. 47, page 20.		



Patented Mar. 24, 1868.

Fig. 22. **The Boston Atomizer**. This Atomizer differs from Shurtleff's in being without the Air-Chamber Bulb, and on that account affords an intermitting instead of constant flow of spray. It is made of as good materials as the former apparatus, and will be found very convenient for most of its uses.

**Price**, with two Glass Atomizing Tubes, \$2.50; postage, .08  
For other Tubes, see Fig. 47, page 20.

### The Universal Atomizer. Apparatus No. 24.

Entered according to Act of Congress, in the year 1870, by CODMAN & SHURTLEFF, in the Office of the Librarian of Congress, at Washington.

Similar to Apparatus No. 23. Supplied with one unplated Metallic Tube with Regulator, instead of Glass Tubes.

**Price**, With Plated instead of unplated Tube . . . . . \$1.50. } Postage, .08  
1.75. }

### Fig. 25. The Constant Atomizer.

Entered according to Act of Congress, in the year 1870, by CODMAN & SHURTLEFF, in the Office of the Librarian of Congress, at Washington.




Fig. 25.

For same use as Apparatus No. 3, page 18. Has linen instead of silk net, and is supplied with one plated metallic Tube, with Regulator.

**Price**, . . . . . \$3.00; postage .10  
For other Tubes adapted to the Bulbs, see pages 20, 21.




Fig. 64.

Fig. 64. **Dr. Knight's Atomizer**. This Atomizer was originally made at the request of Dr. F. I. Knight, of Boston, and affords a convenient and durable instrument alike for physician and patient.

The little vial of this Apparatus, and likewise of No. 56, is connected with the Tube by means of a metal cap, having a coarse screw thread within it corresponding to a similar thread cast upon the neck of the vial. When this is turned into the cap so as nearly to exclude air, the spray is ren-



## Description of Apparatus.

dered exceedingly fine. The Tube is of such length as to permit the atomized fluid to be applied directly to the Laryngeal and Pharyngeal regions.

Price, with Nickel-plated Tube . . . . . \$2.50  
 " Silver . . . . . 7.00

Postage, either, .10



Fig. 56.

**Fig. 56. The Perfume Atomizer**, Patented May 2, 1871. This compact and pleasing Apparatus is intended particularly for diffusing perfume and disinfectants. It is well adapted for Inhalations also. It may be conveniently held in one hand. The metal parts are nickel-plated.

Price . . . . . \$1.50; postage, .06

The rubber of all the Atomizers is white and of the best quality. The Air-Chamber or Reservoir Bulbs are covered with a netting of silk to prevent undue expansion, and to give the Chamber such rigidity as to afford a powerful current of spray. The valves are of a material and form to render them uniform and perfect in action in all positions, and each one is carefully fitted to its seat.




Fig. 47.

**Fig. 47. Atomizing Tube, No. 47**, adapted to Apparatus Nos. 3, 5, 22, 24, 25, and to all the Bulbs.

Price,	Glass, without Regulator	. . . . .	\$ .35	Postage.	.02
	Metal, Nickel-plated, with Regulator	. . . . .	.75		.02
	" not plated, " " "	. . . . .	.50		.02
	When of Silver, " " "	. . . . .	2.00		.02
	" " " and Platinum, with Regulator	. . . . .	4.00		.02

### Tubes adapted to all Bulbs of our manufacture.



Fig. 8.

O and F [Figs. 8 and 9], conical end of Air Tube for connecting with the Rubber Tube of the Bulbs.

R and G [Figs. 8 and 9], Regulator [patented] for controlling the quantity and quality of the spray.

**Fig. 8. The \*Nickel-plated Freezing Tube** usually furnished with the Apparatus, Fig. 4.

Price,	with Regulator	. . . . .	\$2.00	Postage.	.02
	When of Silver	. . . . .	4.00		.02
	" " Glass without Regulator	. . . . .	1.00		.02




Fig. 9.

**Fig. 9. Metal Tube**, for throwing spray downwards into the larynx, or, when inverted, upwards into the posterior nares. It is also well adapted for freezing.

Price,	Nickel-plated, with Regulator	. . . . .	\$2.00	Postage.	.02
	When of Silver, " " "	. . . . .	5.00		.02
	" " " and Platinum, with Regulator	. . . . .	12.00		.02




Fig. 13.

**Fig. 13. Glass Tube**, for throwing spray downwards into the larynx, or, when inverted, upwards into the posterior nares.

Price, without Regulator . . . \$1.00; postage, .02




Fig. 14.

**Fig. 14. Glass Tube**, for throwing spray upwards through the posterior nares.

Price, without Regulator . . . \$1.00; postage, .02

\* **Nickel-plating.** For several years we have been making use of Nickel-plating for Atomizing Tubes and for many other instruments. It does not tarnish from presence of rubber, like Silver-plating, is easily kept bright, is elegant in appearance, and very durable.




Fig. 11.

Fig. 11 represents a very useful (patented) modification of the tube, Fig. 9. By means of a nicely-made joint at B, the horizontal part may be turned to throw spray up or down, or in any direction at a right angle to the body of the tube,—the induction end of the liquid-bearing tube being always downwards. It is particularly adapted to use in the throat, as the spray may be readily directed, either into the larynx or posterior nares. When Fig. 9 is used for the posterior nares, it is first charged with liquid and then inverted, and the operator is restricted to the use of as much liquid only as the tube will contain; while with that represented in Fig. 11 the current of spray may be continued as long as desirable in any direction. This quality renders it in some cases superior to other Tubes for Local Anæsthesia.

<b>Price,</b> Nickel-plated, with Regulator . . . . .	\$3.00	Postage.
Silver, " " . . . . .	6.00	.02
" " and Platinum, with Regulator . . . . .	15.00	.02




Fig. 22.

Fig. 12. **Reversible Bifurcated Tube**, with joint as described in connection with Fig. 11, designed to throw Atomized Rhigolene on both sides of the gum at the same moment. This Tube is used for Local Anæsthesia in Teeth Extraction, painless removal of Dental Pulp, obtunding sensibility of Dentine in excavating cavities, &c. For testimony in regard to the value of the Apparatus for Dental Use, see p. 24.

**Price,** Nickel-plated, with Regulator, . . . \$5.00; postage, .02

No. 18. **Double Spray Tube**, for throwing spray into both eyes at the same time.

**Price,** Nickel-plated, with Regulator . . . . . \$3.00; postage, .02

No. 19. **Double Spray Tube**, for both Nostrils.

**Price,** Nickel-plated, with Regulator . . . . . \$3.00; postage, .02

To all the Metal Tubes, adapted to the Bulbs, we have attached a Regulator (patented), which, without materially increasing the cost, adds greatly to their value, as it enables the operator to secure such an amount of liquid as will freeze in the least possible time when the Tubes are used for Local Anæsthesia, and will afford the finest spray when used for Inhalation. It is also very useful in preventing the passage of foreign substances into the Tubes. Many Silver and other Metallic Tubes are so made as to be nearly worthless on account of the manner in which the orifices are formed, and of the unsubstantial method of joining the two branches. Those of our manufacture have orifices formed in solid metal turned and drilled in a lathe, and the two branches are soldered firmly together in immediate contact, or connected by double braces for those formed on a right angle. Those described as Silver, or as Silver and Platinum, are made in the same manner; the latter have both Nozzles and the liquid bearing Tube of Platinum, and are therefore not liable to be acted upon by any liquid. All our Glass Tubes are well annealed and remarkably strong. The two branches are so united that they cannot possibly get into a wrong position relatively to each other, and therefore always work well in the hands of the most unskilled.

☞ We will make to order Atomizing Tubes of any description from any material desired. Drawings should accompany the order.

By consulting pages 20 and 21 physicians may select Tubes and Bulbs for special wants. The Bulbs are also very useful as Inflators for Pessaries, Barnes' Dilators, and for other purposes. For extensive operations, we make a large Freezing Apparatus with compound jets, which we will describe, if desired, by letter.

## PRICES OF BULBS.

Those presented in Figs. 3, 4, 5 . . . . .	\$2.50
" " " Fig. 22, . . . . .	1.00
" " " 25, . . . . .	2.00
Postage of either, .04	



DESCRIPTION OF APPARATUS FOR TREATING  
DISEASES OF THE NASAL PASSAGES,

BY THE METHOD OF DR. THUDICHUM.

*Each of the Nasal Douches is packed for transportation and accompanied with directions for using. They are made of best materials only, and will be found far superior to the many imitations which have been made.*




Fig. 6.

*Fig. 6. Nasal Douche, our own design. For treating diseases of the Nasal Cavity, by the method of Professor THUDICHUM. A, Reservoir, to contain one quart. B, Leading Tube. C, Nozzle, fitting the nostril in such a manner that liquid cannot pass outward, nor air into the nostril. D, Joint formed by inserting a short glass Tube within the rubber tubing, at which Nozzles of different sizes, or for different patients, may be connected without loss of time.*

Price, in strong wood box, with two nozzles, \$2.00; postage, .24; extra Nozzles, each, 25 cents.

*Nasal Douche, same construction as Fig. 6, to contain one pint. Price, in strong wood box, with two Nozzles, \$1.75; postage, .16; extra Nozzles, each, 25 cents.*




Fig. 7.

*Fig. 7. Dr. Oliver's form of Apparatus for Nasal Douche, designed for office use. A, Black Walnut Stand. B, Conical Reservoir. C, Leading tube. D, Nozzle. E, Joint. F, Ring, hinged to Stand, to support the Reservoir.*

Price, with two Nozzles, \$3.50; extra Nozzles, any size, each, 25 cents.

In using either kind of Douche described, the Reservoir is placed higher than the head, and the rubber Tube is grasped near the Nozzle, between the thumb and finger, so as to control the current. The Nozzle is then depressed enough to allow a little of the liquid to escape, thereby expelling air from the Tube. It is then pressed gently into the nostril, and the grasp slightly relaxed, when the current will enter and fill the whole cavity of the nose and escape by the opposite nostril, the head at this time being thrown slightly forward over a basin, and the mouth kept open.




Fig. 16.

*Fig. 16. Allen's Nasal Douche. Instead of the reservoir furnished with other forms of Douche, this has a stopper, so made that when inserted into a bottle of suitable size, such as can be found in every house, and the bottle inverted, the liquid will pass down the tube, while air enters through another smaller tube in such a way as to form no interruption to the egress of the liquid.*

On account of its cheapness and portability, it will be found a desirable form of the Douche.

Price, with 24-inch tube and one nozzle of best form, \$1.20; with 36-inch tube, \$1.50.

Postage, each, 2 cents.




Fig. 17.

*Fig. 17. Traveller's Nasal Douche.* A convenient form of Douche for persons travelling. It may be used with the water pitcher of the sleeping apartment.

To start the current, put the weight and about half the rubber tube with it into the liquid; close the tube near the liquid by pinching it between the thumb and finger and withdraw it downwards, leaving the weight at the bottom of the pitcher. The liquid will flow through the syphon thus formed, and the Douche may

be used as described in connection with *Fig. 7*.

The Douche is supplied with two Nozzles, and contained in a convenient box. Price, \$1.50; postage 2c.; extra Nozzles, each, 25 c.

The following will be found very useful as attachments to the nasal Douche of either kind; viz.:—



Fig. 20.

*Fig. 20. Dr. E. H. Clarke's Ear Tube*, forming an admirable Douche for cleansing the Ear, or for applying medicated liquids. Price, Hard Rubber, including six inches rubber tubing, 50 cents; Glass, including six inches rubber tubing, 30 cents; postage, 1 cent.




Fig. 21.

*Fig. 21.* An attachment for showering the Eye. It is made of metal and gives quite a number of very fine jets. Price, with twelve inches rubber tubing, 75 cents; postage, 1 cent.

The above attachments may be connected with the Douche Tubes at the joints D or E instead of the usual nozzle, and will be found useful by every physician.

We also make little Stop-cocks, which are thought by some to add to the value of the Douche. If required, they are inserted in the Tube at the joints D or E. Price, additional, Brass, \$1.00; postage, 1c.; Hard Rubber, 1.75; postage, 1c.

It will be noticed that the Nasal Douches, represented in the cuts, though differing in detail from those described by Prof. THUDICHUM, are the same in principle. Though very simple, and comparatively inexpensive, we know, both from observation and report, that they answer perfectly the purpose intended.

Directions for using accompany each of the different forms of Douche Apparatus.

## OPINIONS OF PHYSICIANS AND SURGEONS.

Detroit, Dec. 28, 1874.

I find the Hand Atomizer of CODMAN & SHURTLEFF a very convenient and effective instrument for the application of vaporized solutions to the air passages, having the advantages of protecting the person and clothing of the patient from injury, and at the same time giving a very fine and forcible stream of spray, while the simplicity of the mechanism renders it unlikely to become disarranged.

GEO. P. ANDREWS, M. D.

*The following is an extract from a note from Dr. HENRY J. BIGELOW:*

"I have thus far found nothing better for freezing with Rhigolene than the tubes made by you after the pattern I gave you, and which I still use with your other apparatus.

Boston, May 2, 1866.

GENTLEMEN.—I have used the three kinds of Apparatus for Nebulizing, prepared by you, and I have found them perfectly safe in their arrangements, and useful for throat and lung complaints.

Yours respectfully,

H. I. BOWDITCH.

18 Arlington St., Boston, Dec. 6, 1874,

I have used the Complete Steam Atomizer of Messrs. CODMAN & SHURTLEFF, in appropriate cases, for several years past, and have found it admirably adapted to its purpose.

EWD. H. CLARKE, M. D.

Philadelphia, Dec. 23d, 1874.

Gentlemen,—I take pleasure in stating that I have had an extensive personal experience in the use of your Atomizers, and believe them to be in every way as efficient as the best instruments of foreign manufacture. "The Complete Steam Atomizer," in particular, is worthy of special commendation on account of its compactness, durability, reliability and moderate price.

I have for several years used your Apparatus to the almost entire exclusion of all others.

I am, yours truly,

J. SOLIS COHEN, M. D.

1609 Walnut St., Philad'a, Dec. 3d, 1874,

My Dear Sirs.—You ask my opinion of the Atomizer made by your firm. It is very favorable. I know of no instrument that better fulfils its purpose.

J. M. DACOSTA.



*Massachusetts General Hospital,* }  
Boston, Dec. 14th, 1874. }

Messrs. CODMAN & SHURTLEFF: *Gentlemen,*—  
In reply to your note I am able to say that I consider your Steam Atomizer as most admirably adapted to its uses. Very truly yours,

NORTON FOLSOM, *Res. Phys.*

GENTLEMEN:—I consider the Complete Steam Atomizer, made by you, far superior to any of the foreign ones which I have seen.

Yours truly, F. I. KNIGHT.

Boston, Dec. 10, 1874.

Detroit, Dec. 28, 1874.

I hereby certify that I have used CODMAN & SHURTLEFF'S Atomizer in my practice, and find it admirably adapted for treatment of many diseases of the throat and lungs.

THEODORE A. MCGRAW, M. D.

Norfolk, Va., Dec. 12, 1874.

I cheerfully state that I have used the Complete Steam Atomizer of Messrs. CODMAN & SHURTLEFF repeatedly, and have no hesitation in saying that it answers the purpose admirably, and is much superior to the Atomizer of another firm which I had previously used.

H. M. NASH, M. D.

I have had the opportunity of becoming intimately acquainted with the several forms through which the Steam Atomizers, manufactured by Messrs. CODMAN & SHURTLEFF have passed, resulting in the one called by them "The Complete," and I can testify to the conscientious endeavors of this firm to produce a perfect instrument. The Atomizer, as now made, seems to me an excellent example of the union of well-directed ingenuity and thorough workmanship.

HENRY K. OLIVER, M. D.

Boston, Dec. 18, 1874.

*Mass. General Hospital,* }  
Boston, Feb. 15, 1869. }

CODMAN & SHURTLEFF'S Complete Steam Atomizer has been used in the wards of the Massachusetts General Hospital since its introduction. It is perfectly simple in its construction, yet substantial, compact, and safe. It atomizes steadily and completely, and gives entire satisfaction.

BENJ. S. SHAW, M. D.,  
*Res. Phys. & Supt.*

"I have just had occasion to use one of your Apparatus for Local Anæsthesia, and it acted like magic. It is just the thing for Minor Surgery."

April 29, 1867.

"I have thoroughly tested the Narcotic Spray Apparatus you sent me on trial, and believe it to be the best of any I have seen."

"I have been using one of your Steam Apparatus for about a year, and find it perfectly adapted for treating all diseases of the Throat and Lungs."

\* The Complete Steam Atomizer.

\* "It seems to me a singularly convenient and useful one."

\* "In completeness, elegance, and adaptability to the purpose for which it is designed, it is, I think, superior to any other 'Steamer' in use."

\* "The little apparatus is the most complete for its price than any that have yet been manufactured, and the retail price so low that expense is no longer an impediment to its employment by patients."

[*From Philadelphia Med. & Surg. Rep.*]

\* "Our Boston friends, Messrs CODMAN & SHURTLEFF, have favored us with another modification of their model Atomizer, and we must say that it is an elegant instrument, and sufficiently cheap to bring it within the reach of every practising physician in the country; and their energy in this direction, in popularizing such useful Apparatus, deserves commendation."

[*From Boston Med. and Surg. Jour.*]

\* "We have received from the makers, Messrs. CODMAN & SHURTLEFF, a new instrument for using atomized fluids, which appears to be very complete, simple and durable."

"The inventors claim that it cannot explode, unsolder, nor throw hot water jets instead of vapor."

"If its future use warrants the expectations its appearance would lead us to form of it, it will prove very popular and very useful."

"For its thorough work and durability the price is very reasonable."

\* "Its operation is complete and satisfactory, and the ingenuity and artistic skill displayed in the design and manufacture, is a success truly."

\* "I have not seen anything, either in workmanship or convenience, which surpasses it, and shall take great pleasure in recommending it as an admirable instrument."

\* "It seems to be as near perfect as such a machine can be, and I have no doubt will be much sought for by the profession."

[*From the New England Med. Gaz.*]

"The 'Complete Steam Atomizer,' as arranged by CODMAN & SHURTLEFF, seems the ultimatum of convenience, durability, portability, and compactness for the purpose intended; and as to cheapness, we do not see how so perfect and extensive a piece of machinery can be made for six dollars."

"Wherever frequent and continued medical inhalation is employed, this apparatus is invaluable."

"Their Hand Atomizer, for local applications, is one which no physician should be without."

\* "It is the best constructed apparatus of the kind I have examined."

"Your efforts in the practical atomization of remedies, are largely advancing this valuable means of treatment."

Besides the foregoing testimonials, nearly all of which are from distinguished medical gentlemen, we have received others of the same purport, to the number of hundreds, or perhaps thousands; while we have never heard of an instance in which a Steam Atomizer of our manufacture has burst. Indeed, we know that such an accident is impossible with any Steam Atomizer ever made by us.

## AMPUTATING SETS AND INSTRUMENTS.

- |               |  |         |
|---------------|--|---------|
| <b>No. 1.</b> | Mahogany Case, Velvet-lined, containing two Amputating Knives, Catling, Amputating Scalpel, Capital Saw, Metacarpal Saw (with Ebony Handles), Bone Forceps, Tenaculum, Artery Forceps, Tourniquet, Needles and Silk. |         |
|               | Price . . . . .  | \$27.00 |
| The same,     | in Rosewood Case. Price . . . . .  | 31.00   |
| The same,     | plainer Finish. Price . . . . .  | 25.00   |

### Amputating and Trepanning Sets.

- |               |   |       |         |
|---------------|---|-------|---------|
| <b>No. 2.</b> | Case same as No. 1, and containing in addition two Trephines, Elevator, Brush, and Hey's Saw. | Price | \$40.00 |
|               | The same, in Rosewood Case.   | Price | 44.00   |

### Amputating, Trepanning, and General Operating Sets.

- [illegible]



**Amputating and General Operating Cases.**

Any selection of instruments desired, fitted up to order.

Minor Operating Set, Rosewood Case, Ebony Handles . . . . .	\$18.00
“ “ “ “ “ Ivory “ . . . . .	25.00

**AMPUTATING, TREPANNING, AND BONE INSTRUMENTS.****Miscellaneous.**


			Post- age.
<b>Amputating Saws,</b>	Satterlee's (see cut), or Parker's, each . . . . .	\$ 5.00	15
“	“ Bow Frame . . . . . small, \$6.50; large, 12.00		20
“	“ Movable Back (see cut, next page), length of blade . 3½ inch, \$2.50; 4½, 2.75; 5½, 3.00; 6½, 3.25; 7½, 3.50		5
“	“ Metacarpal, Ebony Handle . . . . .	1.25	3
“	“ “ Folding Handle . . . . . Horn, \$3.50; Shell, 4.50		3
“	<b>Knives</b> (see cut) . 5 inch, \$2.00; 6½, 3.00; 7½, 4.00; 8½, 5.00; 10, 5.50		
<b>Catlings</b> (see cut) . . . . .	5 inch, \$2.00; 7, 4.00; 8½, 5.00		




Amputating Knives (five sizes) and Long Catling.

Satterlee's Amputating Saw.

<b>Scalpels</b> , Ebony or Ivory Handles, checked . . . . .	\$1.50, 2.00	3
Ebony or Ivory Handles, plain, feruled . . . . .	1.25, 1.50	3
<b>Bistouries</b> , Ebony or Ivory Handles, straight or curved blade . . . . .	1.25, 1.50	3
<b>Tenacula</b> , Ebony Handles . . . . .	.75	3



Movable Back Saw (see Amputating Instruments).



Metacarpal Saw (see Amputating Instruments).

**Artery Forceps,**

Fig. 1.

Spring catch (Fig. 1) . . . . .	\$1.50	02
Same, without spring catch . . . . .	1.00	02




Fig. 2.

Mass. Gen. Hospital style, five teeth (Fig. 2) . . . . .	2.00	02
--	------	----



Fig. 3.

Spring catch, fenestrated (Fig. 3) . . . . .	2.00	02
Slide catch, " . . . . .	2.50	02



Fig. 4.

Slide catch, Dugar's (Fig. 4) . . . . .	1.50	02
Small Bull Dog, self-holding . . . . .	.75	02




Fig. 5.

Artery and Needle Forceps combined, slide catch (Fig. 5) . . . . .	2.50	02
--	------	----



Fenestrated, self-holding . . . . .	2.00	
Field, strap, pad, and buckle . . . . .	.75	03

**Tourniquets.**

Massachusetts General Hospital, for leg, steel, nickel-plated . . . . .	15.00	35
Massachusetts General Hospital, for arm, steel, nickel-plated . . . . .	15.00	25
Esmarsch's Bandage and Rubber Tourniquet, for bloodless amputation . . . . .	3.50	16
Spiral, improved (see cut). Pad lengthens with thumb-screw. Strap does not impede venous circulation . . . . .	2.50	08


<b>Ligature.</b> White silk . . . . .	small skeins, .05;	
	large, .15	03
On spools, fine, for eye or face . . . . .	.12	02
Wire, pure silver, per foot, . . . . .	.06, .08, and .10	03
Catgut, per roll . . . . .	.25	03




			Post- age.
<b>Ligature.</b>	Elastic, solid rubber cord, per yard . . . . .	\$ .07	03
	Needles, straight . . . . . each, .02; per doz., .20		03
	“ curved or half curved . . . . . “ .10; “	1.00	03
	“ for wire, each . . . . .	.25	03
<b>Trephines.</b>	Ordinary . . . . .	3.50	08
	Galt's Conical . . . . .	4.50	08
	Elevator, double end, plain . . . . .	1.00	02
	“ with lenticular knife . . . . .	1.50	03
	Brushes . . . . .	.25, .50	02

### Bone Instruments.

<b>Forceps.</b>	Liston's, straight edge, usual size (see cut) . . . . .	2.75	10
-----------------	---	------	----



	Liston's, with spring . . . . .	3.25	10
	“ larger sizes . . . . .	4.00 to 6.00	20
	Satterlee's, parallel edges (see cut) . . . . .	3.50	10



	Gouge or Gnawing . . . . .	3.50	10
	Bone-holding, Ferguson's Lion Jaw . . . . .	3.00	08
	Sequestrum . . . . . straight, 2.50; curved, 3.50		08
	“ bayonet-shape . . . . .	2.50	08
<b>Chisels,</b>	various sizes . . . . .	.75, 1.00, 1.25	04
<b>Drills,</b>	sets for ununited fractures . . . . .	3.50 to 7.00	08
<b>Gouge,</b>	straight or curved . . . . .	1.00 and 1.25	04
<b>Periosteotome</b>	. . . . .	2.00 to 2.50	04
<b>Maxillæ Saws.</b>	Right or left, each . . . . .	2.00	04
<b>Oral “</b>	Goodwillie's . . . . .	3.50 to 5.00	04
<b>Chain “</b>	. . . . .	10.00	04
<b>Inter-osseous Saws,</b>	narrow . . . . .	1.50	03
<b>Bone-cutting or Rib Shears</b>	. . . . .	6.00	15
<b>Lead Mallet,</b>	brass-bound . . . . .	2.50	08
<b>Retractors.</b>	Mott's or Parker's, per pair . . . . .	1.50	03
	Blackman's . . . . .	3.00	
<b>Antrum Drill,</b>	Pope's . . . . .	3.50	04

(Bone Exsecting Sets furnished to order.)

### Acupuncture Instruments.

<b>Needles,</b>	Gilt, each . . . . .	.50	
<b>Pins,</b>	for rhinoplastic operations, per 100 . . . . .	.75	03
<b>Baunscheidt's Lebenswecker,</b>	or Needle Instruments, for the application of his Oil, &c., plain, charged . . . . .	4.00	03
	with springs, charged . . . . .	6.50	05
	“ “ not charged . . . . .	3.50	06
	<b>Oil,</b> per bottle . . . . .	1.75	
	<b>Book of Directions</b> . . . . .	.50	01
<b>Aneurism Needles.</b>	Fixed Ebony Handle . . . . .	1.00	02
	Folding Shell “ . . . . .	1.25	02
	Mott's Ebony “ set . . . . .	2.75	02
	“ Ivory “ “ . . . . .	3.00	02

# Anatomical Preparations.

(Special Price List furnished on application.)

			Post- age.
<b>Artificial Leeches,</b>	Heurteloup's . . . . .	\$9.00 to 12.00	15
<b>Bandages.</b>	Surgical, Cotton, quality as used in Massachusetts General		
	Hospital, width 1 inch, length 1 yard, per doz. . . . .	.30	03
	" 2 " " 3 " " . . . . .	.50	06
	" 2½ " " 3 " " . . . . .	.60	10
	" 3 " " 4 " " . . . . .	.85	15
	" 3½ " " 5 " " . . . . .	1.10	20
	" 4 " " 6 " " . . . . .	1.50	25
	Machines for rolling, each . . . . .	.75	20

# Bullet Instruments.

<b>Probes.</b>	Silver, according to length . . . . .	.50 to 1.00	03
	German silver, long . . . . .	.75 to 1.00	03
	Hard rubber . . . . .	.60	03
<b>Forceps.</b>	Spoon end . . . . .	2.00	05
	Sharp " . . . . .	2.00	05

# Breast Pumps, &c.

<b>Breast Pump.</b>	Glass receiver and mouth-piece . . . . .	.50	10
	" " " metal pump . . . . .	1.25	15
	" " " hard-rubber pump (cut, Fig. A) . . . . .	2.00	15
	" " " soft " " (cut, Fig. B) . . . . .	1.25	03



Fig. B.



Fig. A.

<b>Breast Shields.</b>	Parker's, with Oil . . . . .	1.00	03
	Needham's. . . . .	.50	03
	Nichols's . . . . .	.40	03
	Kent's . . . . .	.50	03
	Preston's . . . . .	.50	03
	Wood and rubber . . . . .	.25	02
	Soft rubber . . . . .	.25	02
<b>Breast Shells,</b>	Glass, to protect the dress, per pair . . . . .	.50	08

# Cupping Instruments.

<b>Cupping Case,</b>	containing five valved glasses and brass pump . . . . .	7.00	35
	Same, containing three stop-cocks instead of valves . . . . .	8.50	40
<b>Cupping Glasses,</b>	bell-shape, four sizes, per dozen . . . . .	2.00	
	With rubber top, self-exhausting . . . . .	.75	04
<b>Scarificator</b>	. . . . .	4.50, 5.00	10

# Crutches.

<b>Crutches.</b>	Split shaft, with cross handle, per pair . . . . .	3.50	
	The same, with our brass and rubber bottom (cut, p. 30), per pair . . . . .	6.00	
	Whittemore's Patent, Maple, per pair . . . . .	10.00	
	" " Lancewood, " . . . . .	12.00	
	" " Rosewood, " . . . . .	14.00	



		Post- age.
<b>Crutch Bottoms</b> , Brass, with rubbers to screw in (see cut), per pair . . .	\$1.50	9
Same kind, extra size, per pair . . .	2.50	15
Whittemore's Patent " . . .	3.00	15
<b>Rubbers</b> , for crutch bottoms, to screw in (see cut), per pair . . .	.30	04
Same, extra size (see cut), per pair . . .	.60	06
For patent bottoms, " . . .	.33	04



### Chiropodists' Instruments.

<b>Corn Knives</b> , all steel, double end, each . . .	.50	02
<b>Paring Knives</b> , Ebony Handle . . .	.75	02
<b>Files</b> . . .	.50	02
<b>Nail Cutters</b> . . .	1.25 to 2.00	04
<b>Nail-extracting Forceps</b> . . .	2.50	08

## DISSECTING, POST-MORTEM, AND NATURALISTS' INSTRUMENTS.

		Post- age.
<b>Dissecting Sets.</b> French Dissecting Set, Charriere's, consisting of 6 Scalpels, Chisel, Chain and Hooks, Blowpipe, grooved Director, Probe, Curved Scissors, Straight Scissors, and Dissecting Forceps, contained in Folding Goat-skin Case . . .	\$10.00	18
Contained in Folding Enamel-leather Case . . .	9.50	18
" " Wood Case . . .	9.00	18
<b>Sets</b> , in Wood Cases, according to completeness, \$4.00, 5.00, 6.00, 7.00, 8.00, 10.00 . . .		18
<b>Scalpels</b> , Charriere's, each . . .	.75	02
of our own manufacture, Ebony Handle . . .	.75	02
" " " " Ivory " . . .	1.00	02
<b>Cartilage Knives</b> , Steel Handle . . .	.75	02
<b>Scissors</b> , Straight . . .	.75 to 1.50	02
Curved . . .	1.00 to 1.75	02
<b>Forceps</b> . . . plain, .75; Coxeter's, 1.25 . . .		02
<b>Blowpipe</b> . . .	.38	02
<b>Tenaculum</b> . . . Steel Handle, .62; Ebony Handle, .75 . . .		02
<b>Chain and Hooks</b> , Brass Chain, very strong . . .	.50	02
<b>Chisels</b> , according to size . . .	.75 to 1.25	04
<b>Mallet</b> , Lead, Brass-bound . . .	2.50	08
<b>Enterotome</b> , Scissors for intestines . . .	2.50	04
<b>Costotome</b> , or Rib Shears . . .	6.00	15
<b>Needles</b> , post-mortem . . .	.15 to .38	02
<b>Anatomical Syringe</b> . . .	14.00 to 25.00	
<b>Gloves</b> , Rubber, per pair . . .	1.75	04
<b>Post-mortem Cases</b> . . . small, 12.00 to 14.00; larger, 22.00 to 24.00 . . .		

### Naturalists' Instruments.

<b>Egg Drills</b> . . .	.25 to 1.50	
<b>Egg Glass</b> , for drawing contents . . .	.50	04
<b>Embryotomy Hooks</b> . . .	.17 to .37	02
<b>Forceps</b> , Bird-stuffing, according to length . . .	1.75 to 2.50	05

			Post- age.
	<i>Syringes,</i>	\$5.50 to 25.00	
<i>Microscopic</i>	<i>Knives,</i> delicate	.88 to 1.50	02
	<i>Scissors,</i> "	1.00 to 2.00	02
	<i>Forceps,</i> "	1.00 to 1.50	02
	<i>Valentine's Parallel Knives</i>	10.00	04
	<i>Case,</i> selected by Prof. Wilder	10.00	18
(See various Dissecting Instruments.)			

## EYE INSTRUMENTS.

	Post- age.		Post- age.
<i>Speculum,</i> plain wire	\$ .75 03	<i>Scissors,</i> Straight	\$1.00 02
Graefe's, with stop	2.50 03	Curved	1.25 02
Noyes' Improved	4.50 03	Probe points	1.25 02
<i>Eyelid Retractors,</i> Pellier's,		Canaliculus	1.50 to 2.00 02
four sizes, each	1.25 03	French	1.50 to 2.00 02
<i>Eyelid Plate,</i> Jaeger's Hard-		<i>Cystotome,</i> for lacerating the	
rubber	1.00 02	capsule	1.50 02
<i>Probes,</i> Bowman's, eight sizes		<i>Tractors,</i> Graefe's	1.50 02
in case	4.00 00	<i>Lens Scoop</i>	1.75 02
Williams's, six sizes in case	4.00 03	Fenestrated	1.75 02
Livingston's Elastic	2.50 02	<i>Lens Scoop and Cystotome</i>	2.50 02
Anel's	.50 02	<i>Cataract Knives,</i> Beers'	1.50 04
Common, small	.25 02	Graefe's	1.50 04
<i>Director,</i> Bowman's, gilt	.50 02	" (French)	2.00 04
<i>Syringe,</i> McFarland's Lachry-		<i>Cataract Needles</i>	1.25 to 1.50 02
mal	3.00 02	<i>Hooked</i> "	1.50 to 1.75 02
Anel's	5.50 03	<i>Tattooing</i> "	1.75 to 2.00 02
Agnew's	5.50 04	<i>Paracentesis</i> "	1.50 02
<i>Eye Bath-cup,</i> Glass, each	.38 to .50 04	" <i>Trocar</i>	1.75 02
Bath-cup & Bottle combined	1.00 08	<i>Scalpel,</i> small, for face and lid	1.25 02
Douche Nozzle (fig. 21, p. 23)	.75 02	Adams's Iris	1.50 02
Spray'g App'at's (" 56, p. 20)	1.50 08	<i>Cannular Scissors &amp; Forceps</i>	12.00 04
Dropping Tubes (see Pipettes)	.15 02	<i>Spatula</i> for applying ointment	1.00 02
Drop Bottles, for atropine, &c.	.50 08	<i>Strabometer,</i> Ivory	1.50 02
<i>Styles,</i> Lachrymal, silver	.62 01	<i>Forceps,</i>	
" gilt	1.00 01	Entropion, Desmarre's	3.00 02
<i>Knives,</i> Bowman's Canaliculus	1.75 02	" Snellings', right or left	3.00 02
Stillings's	1.50 02	" Prout's	4.00 02
Webber's	1.75 02	" with knife	7.00 04
Agnew's Canal, flexible shaft	1.75 02	" cross bar	2.25 02
Parker's Fistula Canaliculus	1.75 02	Iris, with teeth, straight	1.00 02
Corneal Section	1.50 to 1.75 02	" serrated,	1.00 02
Hay's Needle	1.50 02	" " "	1.25 02
Iris	1.50 02	" with teeth,	1.25 02
" sickle-shape	1.75 02	Cilia, or eye-lash	1.00 02
" with stop	1.75 02	Fixation	1.50 to 2.00 02
" double edge	2.00 02	<i>Ice-bags,</i> for eye	.50 to 2.25 03
<i>Spud,</i> Dix's, for remov. for. bod.	1.25 02	<i>Ophthalmoscopes,</i>	
<i>Gouge,</i> grooved, " " "	1.50 02	Liebreich's	6.00 10
<i>Curette,</i> Daviel's, " " "	1.50 02	Allen's	4.00 08
<i>Spoon,</i> hd. rub., " " "	.75 02	Jaeger's	20.00 20
<i>Hook,</i> Knapp's, " " "	2.00 02	Nachet's	8.00 08



	Post- age.
<b>Ophthalmoscope</b> , Stelwag's \$14.00	10
Loring's (German) . . . . .	20.00 10
" (French) . . . . .	30.00 10
<b>Eye-shades</b> , single . . . . .	.35 02
Double . . . . .	.75 02
<b>Fine Silk</b> , in skeins . . . . .	.05 02
On spools . . . . .	.12 03
<b>Fine Needles</b> , per dozen . . . . .	1.50 03
<b>Sulphate of Alum</b> and Cop- per Caustic, per box . . . . .	.50 02
<b>Crayon-holders</b> . . . . .	.25, 1.50 02
<b>Eye Set, No. 1</b> , for Strabis- mus, Morocco Case, con- taining Strabismus Scis- sors, Strabismus Forceps, Double Hook, for fixing the eye, Strab'mus Hook, plain wire Speculum . . . . .	8.50
<b>Eye Set, No. 2</b> , for Strabis- mus and Cataract, Moroc- co Case, Velvet-lined, containing curved Couch- ing Needle, Strabismus Hook, Strabismus Scis- sors, plain curved Forceps, Double Hook, for fixing the eye, Beers' Cataract Knife, plain wire Specu- lum . . . . .	11.50
<b>Eye Set, No. 3</b> , Morocco Case Velvet-lined, contain- ing Beers' Cataract Knife, Scissors curved on the flat, Forceps, curved Nee- dle, Iris Needle, Daviel's Curette, Tyrrell's sharp Iris Hook, silver Probe, Dix's Spud, for removing foreign bodies, Strabis- mus Hook, plain wire Speculum, three Suture Needles, and fine Silk . . . . .	17.00

**Eye Set, No. 4**, Rosewood  
Case Velvet-lined, contain-  
ing Strabismus Hook,  
Strabismus Scissors,  
straight Iris Scissors,  
straight Needle, curved-  
Needle, Dix's Spud, Ke-  
ratome, or Artificial Pupil  
Knife, Beers' Cataract  
Knife, Parker's Fistula  
Lachrymalis Knife, plain  
wire Speculum, Tyrrell's  
Blunt Hook, Silver Probe,  
Critchett's Lens Scoop,  
Forceps, six Needles, and  
fine Silk . . . . . \$24.00

**Eye Set, No. 5**, Rosewood  
Case Velvet-lined, con-  
taining small Scalpel for  
operating upon the lids,  
Strabismus Hook, angular  
Keratome, straight Kera-  
tome for artificial pupil,  
Desmarre's Scarificator,  
Beers' Cataract Knife,  
Parker's Fistula Lachry-  
malis Knife, Graefe's Lin-  
ear Knife, large curved  
Couching Needle, small  
curved Needle, straight  
Iris Needle, Cystotome  
for lacerating the capsule,  
Tyrrell's Blunt Hook,  
Tyrrell's Scoop, plain  
wire Speculum, Cilia or  
Eye-lash Forceps, Stra-  
bismus Forceps, Iridec-  
tomy Forceps, straight  
Iris Scissors, curved Iris  
Scissors, Anel's silver  
Probe, six Suture Needles,  
and fine Silk . . . . . \$34.00

**Eye Sets** fitted up to order with any style of Instruments which may be selected.  
**Eye Sets** of French (Luer's) manufacture on hand, or imported to order.



## EAR INSTRUMENTS.

	Post- age.
<b>Speculums, Glass Reflecting</b> . \$ .62	04
Porcelain . . . . .	.50 04
Toynbee's, silver, three in case	5.50 04
"    "    single . . . . .	2.00 02
Wilde's, plated, three in set . .	2.50 04
Simrock's Bivalve, with lens . .	5.00 05
Krammer's Bivalve . . . . .	1.50, 2.50 04
Hard Rubber, set of three . . . .	2.25 03
"    "    Grouber's, 3 in set	2.50 04
Metal, Grouber's, four in case	4.00 04
Ear Illuminator, Weber's . . . .	10.00 10
"    "    Hassenstein's . . . .	5.00 08
<b>Mirrors, Troeltsche's Concave</b>	
Reflecting, with handle,	
four sizes . . . . .	3.50, 4.00, 4.50, 5.00 12
Same, small, with lens, in	
case . . . . .	5.00

	Post- age.
Same, with band for head . . . .	\$6.00 12
Schrötter's, with improved	
nose-rest . . . . .	8.00 12
Schrötter's, plain, not concave	7.00 12
<b>Eustachian Catheters, silver</b>	2.00 02
hard rubber . . . . .	1.00 02
<b>Politzer's Inflator</b> . . . . .	2.25 08
<b>Allen's</b> " . . . . .	5.00, 5.50 08
<b>Polypus Knife, Gruber's, sickle</b>	
shape . . . . .	1.50 03
<b>Polypus Snare, Blake's</b> . . . .	6.00, 7.00 05
Wilde's . . . . .	3.50 05
Clark's . . . . .	6.50 05
<b>Forceps, Toynbee's, angular,</b>	
ring end . . . . .	1.25 02
Wilde's, angular, with teeth .	1.25 02
Various . . . . .	1.25 to 7.00 02



Ear Spout.

<b>Otoscope, Clark's</b> . . . . .	2.50 04
<b>Scoop, hard rubber</b> . . . . .	1.00 02
<b>Artificial Tympani, all rub-</b>	
ber, each . . . . .	.35 02
Same, wire and rubber, each . .	.38 02
<b>Perforator, for tympani,</b>	
steel . . . . .	.50, 1.00 02
Same, ivory handle . . . . .	1.50 02
<b>Scissors, for tympani, Politzer's</b>	4.50 04
<b>Meatus Knife</b> . . . . .	1.50 03
<b>Tuning Fork, Blake's</b> . . . . .	10.00 12
<b>Probe, steel, angular</b> . . . . .	.50 02
<b>Spoon and Hook, Gross's,</b>	
for removing foreign bodies	1.00 02
<b>Staffs, for carrying cotton, each</b>	.50 03
<b>Evaporator, Dewee's, for</b>	
ether, etc. . . . .	2.00

<b>Syringes, hard rubber, com-</b>	
mon size . . . . .	1.25 02
Same, large size . . . . .	3.00 04
"    glass . . . . .	.38 04
<b>Douche, Clarke's</b> . . . . .	2.00 12
<b>Ear Spout, Hosmer's (see cut),</b>	
hangs upon ear, and con-	
ducts water to basin while	
syringing . . . . .	.38 02
<b>Drop Tube (see Pipettes)</b> . . .	.15 02
<b>Buttle's Inhaler, hard rub-</b>	
ber, with chamber for	
sponge, with ear and nose	
nozzle . . . . .	3.00 03
<b>Bulb attachment to above, for</b>	
forcing medicated vapors . .	1.00 04
<b>Caustic Holder</b> . . . . .	2.00 03

**Sets of Instruments** fitted up to order, as may be specified.


(See INSTRUMENTS TO ASSIST THE HEARING.)





**Electro-Medical Apparatus,**

MANUFACTURED BY DR. JEROME KIDDER.



**Dr. Jerome Kidder's Electro-Medical Apparatus, No. 5,** has four differently-conditioned coils, each arranged to use them in various combinations, producing ten different qualities of electricity. Patented in the United States, England, and France. Price, with Hydrostat Tip Battery . . . . . \$27.00


With Open Battery (see next page). . . . . 24.00

Full directions accompany each instrument.



## Electro-Medical Apparatus,

MANUFACTURED BY DR. JEROME KIDDER.



**Dr. Jerome Kidder's Electro-Medical Apparatus, No. 4**, has three coils, arranged to produce six different currents. This is done, as in Apparatus No. 5, by varying the two posts selected for the positive and negative. Price, with Open Battery (see cut) . . . . . \$20.00  
 " " Hydrostat Tip (see p. 35). . . . . 24.00


(The solution used in Apparatus Nos. 4 and 5 should be soft water, with about one-twelfth part of sulphuric acid.)

Full directions accompany each instrument.


**Electrical Instruments,**

MANUFACTURED BY THE GALVANO-FARADIC MANUFACTURING CO.

**ELECTRO-MAGNETIC MACHINES.**



**No. 3.**



**No. 4.**

For professional purposes . . . .	\$22.00	Double-cell Battery . . . . .	\$33.00
" " nickel-plated . . . . .	25.00	" " nickel plated . . . . .	37.00
Hard-rubber cell, extra . . . . .	1.50	Hard-rubber cells, extra . . . . .	3.00

The **No. 4** machine is often selected by physicians. It has the advantage of a cell in reserve, should the strength of the other become exhausted; also the strength of both cells may be united in cases of suspended animation.

By means of the Hydrostat, the above instruments are rendered *portable*. They can be carried around *charged*, and *ready for use*, without danger of spilling the fluid.

The *Fork*, with its improvements, in the above instruments, governs the intervals between each shock, which may be graduated from quite slow to the greatest rapidity.


The above Batteries are run by means of a mixed solution of water, sulphuric acid, and bi-chromate of potassa.

Full directions accompany each instrument.



**Galvanic Batteries.**

This Engraving represents a modification of the celebrated "Stöher Battery," of 32 cells.



Sixteen cells, for general use . . . . .	\$30.00
Same, portable . . . . .	35.00
Thirty-two cells, double strength, used for electrolysis . . . . .	50.00
Same, portable . . . . .	60.00

The additional cost of the "Commutator," used for reversing the direction of the current, if ordered for either of the above Batteries, is \$3.00.

A few words will suffice to give an outline of this apparatus. It consists of thirty-two cells, with as many pairs of plates, and a fluid which instantly sets the current in motion when brought into contact with these plates. This is effected by raising a tray, upon which the cells are placed, by means of a handle, or key, at each end of the case. At the top extends longitudinally a beam of wood, along which the Commutator slides, so as to include in the circle from the lowest to the highest number of plates when we apply the electrodes. These are set each in a small aperture, and held in place by a screw.

The chief point of difference between the Galvanic Machine, as thus described, and the Electro-Magnetic, is in the course of the current, which in this last is essentially and rapidly interrupted, while in the Galvanic it flows in an unbroken stream, without any noise of the apparatus, and with but slight evidence of its action.

## The Bartlett Galvanic Battery.



Twelve cells, suitable for eye and ear cases . . . . .	\$20.00
Twenty-four cells, suitable for professional use . . . . .	40.00
Thirty-six cells, suitable for professional use requiring great power . . . . .	60.00
Portable attachment for the above, extra . . . . .	5.00
Commutator, for reversing the current, extra . . . . .	5.00

The above arrangement of Galvanic Battery and accessories is the most convenient form that has ever been presented to the profession.

The Hydrostat, for portable attachment, is *perfect*, and these Batteries can be carried about, without danger of spilling the battery fluid, the same as our Electro-Magnetic Machines. Their great advantage over all others is in their compactness, portability, and simplicity of management. The accessories (such as Current-selectors, Commutator, Rheotome, &c.) are all attached to the Battery.

It has been constructed expressly to meet the requirements of general practitioners, and cannot fail of satisfying their wishes, both for office and general practice.








## ELECTRICAL DISKS AND BANDS.

### Dr. Garratt's Self-acting and Constant Electrical Disks.

Adult Size.

Button Disk.  
5 x 7.

Children's Size.


Button Disk.  
3 x 5.

A scientific adjustment of sensitive metals, insulated silver, with Magnesio-Iodi-Zinc, composing an elegant self-acting Medico-Electrique, that any person may apply and wear with comfort and relief, for local weakness and pain, for old rheumatic and neuralgic pains, induration and stiffness. It is also remarkable for its constant power to help weak lungs, heart, stomach, kidneys, lame back, and other aches and ills. Descriptive circulars sent on application.

Price, Adult Size, \$2.50, postage 4c.; Children's Size, \$1.50, postage 2c.

### The Voltaic Armadillo, or Electric Bands and Soles,

\$1.00 per pr.   \$1.00.   \$2.00.   \$2.50.   \$5.00.   \$2.25.   \$2.00.   \$1.00.   \$1.00 per pr.



Ladies' Sole,

Waist Band  
Postage, 2c. to 4c.

Gent's Sole

### Produce a Constant, Gentle Electric Current,

And supply physicians with a convenient form and easy mode of prescribing electricity. They are flexible, easily applied, and worn on any part of the body. The insensible perspiration excites a mild but constant current, giving relief in many cases of Nervous Diseases, Rheumatism, Sciatica, Lumbago, Nervousness, Weak Back, Cold Feet, Chilblains, General Debility, &c.



## INHALERS, FOR ANÆSTHESIA,

By the Use of Nitrous Oxide, Chloroform, and Ether, and for the Administration of Oxygen.

We take pleasure in offering these as the *most perfect* Inhalers ever placed in the hands of the profession. The points for which we claim superiority are, —

1. **Durability:** being made of metal, they are not liable to be easily broken, as so frequently happens to the hard-rubber inhalers; and, as they are nickel-plated, they retain their brilliant polish without change.

2. **For convenience,** both to the patient and operator. With one hand, the physician can conveniently control the two-way stop-cock so as to supply either the anæsthetic vapor or air, or any proportion of the two combined at pleasure, leaving the other hand at liberty to control the patient, or for such exigencies as may occur.

As the Elastic Hood covers both nose and mouth, the patient is saved the necessity of having the nostrils closed either by clamps or by the fingers, — a part of the operation always very disagreeable, and, to very sensitive patients, positively frightful, as it produces a feeling of suffocation.

3. **Cleanliness:** the Rubber Hood, which alone comes in contact with the face, is easily removed and replaced; and, as all the other parts are either metal or hard rubber, the whole instrument can be kept perfectly pure by washing.

4. **Durability and accurate working of the valves.** Upon this, perhaps, more than anything else, depends the successful administration of anæsthetics.

If the exhaling valve does not quickly and perfectly close while nitrous oxide is being inhaled, air is taken with it, and the gas is so much diluted that it very much delays or wholly prevents the desired effect. If, on the other hand, the inhaling valve does not work properly, the patient breathes back into the reservoir a mixture of the anæsthetic with carbonic acid, which, however rapidly it may produce insensibility, is dangerous to the health, and to be specially guarded against.

The valves in these Inhalers are shown in section in Fig. 106. *AA* is the coiled spring, which insures the rapid closing of the valve, and yet does not offer any perceptible resistance to its opening at the proper time. *B* is the shaft supporting the coiled spring, passing through the narrow horizontal bar *D*, and connected with the valve *C*. *D* prevents lateral motion of the shaft *B*, and consequent misplacement of the valve.


5. The ease with which four different styles of Inhalers can be made from the parts composing Fig. 105 and Figs. 107 and 114, thus enabling the operator to meet those exceptional cases, if any are presented, in which the full-hooded Inhaler would not be the most convenient.

Fig. 110 is the same Inhaler, with an attachment for administering Ether or Chloroform, and is a very satisfactory instrument for that purpose. This is obtained by detaching part *J* from Fig. 105 at *E*, and putting in its place *F*, Fig. 110, which is a hollow sphere, containing a sponge, upon which the Ether or Chloroform is poured. By this arrangement, waste by evaporation into the room is prevented, and less than half the quantity is required to produce anæsthesia.


As the valves remain the same as in Fig. 105, exhalations pass through valve *C*, and do not return to the reservoir *F*, to contaminate the anæsthetic agent remaining in the sponge. The operator is also a gainer, as he escapes breathing so much of the vapor as he is compelled to when using it from a sponge or napkin.

### PRICES.


Whole apparatus, except Fig. 113 . . . . .	\$20.00; postage, .26
Fig. 113, in place of <i>J</i> , Fig. 105, extra . . . . .	1.00; " .04
" 105, with 107, 108, and 114 . . . . .	15.00; " .18
" 111 . . . . .	8.50; " .08
Ether Chamber alone (see Fig. 110) . . . . .	5.00; " .08
Flexible and Metallic Hoods, <i>A</i> and <i>B</i> , Figs. 109 and 110, both . . . . .	5.50; " .08



**Fig. 105,** Inhaler for Nitrous Oxide Gas. *A*, Metallic Hood, containing *B*, Flexible Rubber Hood, covering both nose and mouth; *C*, Exhaling Valve; *D*, Two-way Stop-cock; *I*, Packing, through which a silk cord passes, to which Fig. 108 is attached; *E*, Sliding Joint, where *J* is detached to connect the Ether Reservoir. *J* contains the Inhaling Valve, represented in a section, Fig. 106. External diameter of tube *J*,  $\frac{1\frac{3}{8}}{16}$  inch.




**Fig. 106,** Section of Valve and Valve Seat, *J*, Fig. 105. This section represents the full size. *A A*, Coiled Spring, one end attached to Shaft *B*, the other bearing against the narrow Bar *D*, through which *B* moves freely, yet preventing lateral misplacement of the Valve *C*.



**Fig. 107,** Mouth Hood, to be used when an Inhaler of the form of Fig. 111 is desired.




**Fig. 108,** Hard-rubber Gag, to place between the teeth, to prevent closing the mouth in teeth extraction. If the teeth are clenched upon it, the mouth may be opened by turning the Gag up edgewise.




**Fig. 109,** Flexible Rubber Hood, to cover mouth and nose. This slides easily into the Metallic Hood *A*, Figs. 105 and 110, and rests against a projecting rim that prevents its being forced out of place. The thin edge of this Hood is so elastic that air-tight contact with every form of face is easily obtained.







**Fig. 110,** Inhaler, arranged for using Ether or Chloroform. This differs from Fig. 105 only in the addition of the hollow sphere *F*, which contains sponge, on which the anæsthetic liquid is poured through the opening *G*. *H*, Cover, closing the reservoir when not in use. This part is attached at the Sliding Joint *E*.




**Fig. 111,** Inhaler, with Metal Mouth Hood *B*, covering the mouth only; and Hard-rubber Mouth-piece *A*.



**Fig. 112,** Inhaler, with no Shield or Hood, having only Hard-rubber Mouth-piece attached.



**Fig. 113,** Tube and Valve, to be used in place of *J*, Fig. 105, when the Inhaler is to be connected with covered tubing containing coiled wire. Inside diameter of the end that receives the elastic tube,  $\frac{7}{8}$  inch.



**Fig. 114,** Hard-rubber Mouth-piece, represented attached in Fig. 112.

Any of these changes can be made in a moment, as they are all carefully fitted with Sliding Joints, and occupy not a quarter of the time required in the tedious manipulation of screws.

These Inhalers have been very extensively used by dentists for the last four years, and have been fully endorsed by them as the very best in use.


*Underwood's Ether Inhaler* . . . . . \$3.00

## FEVER THERMOMETERS.




Sliding Pencil-case Thermometer.

Fig. 3.



Straight Self-registering Fever Thermometer.

Fig. 2.



Plain Curved Fever Thermometer.

Fig. 1.

**Fig. 1** represents an ordinary Thermometer, the stem curved, in order that the bulb may be easily fitted into the axilla while the stem remains upright. These Thermometers must be read *while they remain undisturbed, IN SITU.*

**Fig. 2** represents a *Straight Self-registering Thermometer*, which does not require to be read *in situ*, but may be removed from contact with the parts, and read *at leisure.*

We take pleasure in inviting the attention of medical men to the *contraction in the stem* (A, Fig. 2), a recent invention, which effectually prevents the possibility of the index or register being lost in the bulb, it being thus prevented from descending below a fixed point.

N.B.—The index is the bit of mercury detached from the rest by an air space.

To SET THE INDEX.—Bring the detached bit of mercury down to about 95°: this is done by holding the instrument firmly in the hand, and then, *by a single swing of the arm downward*, the index will move downward. The *swing of the arm* must be repeated until the index reaches the desired point.

The index to the Thermometers without the contraction in the stem must *never be lowered* until the mercury in the bulb is warmed into the column a little distance by the hand; otherwise it is apt to drop down into the bulb, and is lost.

**Fig. 3** represents a Sliding Pencil-case Thermometer.

### Straight Self-registering Thermometers, English,

Selected of one of the best Makers, by one of our Firm. They are made expressly for us, and are warranted very superior.

Graduated $\frac{1}{2}$ deg., 4, 5 & 6 in. long, contraction in stem, boxwood case . . .	\$3.50
“ “ $3\frac{1}{2}$ , 4 & 5 “ “ “ German silver case . . .	3.50
“ “ $3\frac{1}{2}$ & 4 “ “ propelling gilt pencil case . . .	5.00
“ “ “ “ “ contraction in stem, plated case . . .	4.00
“ “ “ “ “ aluminum case . . .	4.00
“ “ “ “ “ engine-turned, gilt case . . .	4.00



					Post- age.
Graduated $\frac{1}{5}$ deg.,	$3\frac{1}{2}$ & 4 in. long,	contraction in stem, L. Beale's pat.,	silv. case	\$5.00	04
" "	$3\frac{1}{2}$ , 4 & 5 "	" "	sliding pencil case	5.00	04
" "	4 "	" "	oval " "	5.00	04
" "	$3\frac{1}{2}$ "	" "	bayonet-fastened, plat. case	6.00	04
" "	" "	" "	" " silver "	8.00	04

**Plain Curved Thermometers, American.**

Graduated $\frac{1}{5}$ degree,		in morocco case	2.25	04
" $\frac{1}{2}$ "	extra stout,	" "	2.50	04
" $\frac{1}{5}$ "	self-registering, 6 in. long,	" "	3.50	04

**Straight Self-registering Thermometers, American.**

Graduated $\frac{1}{5}$ degree,	5 & 6 in. long,	in hard-rubber case	3.50	04
" $\frac{1}{4}$ "	" " " "	ebony " "	3.25	04
" $\frac{1}{4}$ "	4 " " "	" " "	3.00	04
" $\frac{1}{5}$ "	5 in. long,	with contraction in stem, hard rubber case	3.50	04

**HERNIA INSTRUMENTS.**

<i>Hernia Needles</i>	2.50 to 5.00	02
<i>Bistoury</i>	1.25 to 2.50	02
<i>Director</i>	2.50, 3.00	02

**INSTRUMENTS TO ASSIST THE HEARING.**

Fig. 1.

Auricles.

Hearing Trumpets.

				Post- age.
<i>Conversation Tubes</i> (Fig. 1), silk covering, ordinary size, each	.	.	.	\$5.00 06
Worsted covering, " " "	.	.	.	3.00 06
Extra sizes	.	.	.	6.50, 7.00, 8.50
<i>Trumpets</i> , various patterns and sizes (see cut)	.	.	.	1.50 to 5.00
<i>Auricles</i> , small, medium, large, either (see cut), per pair	.	.	.	5.00 08

## RUBBER ARTICLES, &c., FOR INVALIDS.

### Ice and Hot Water Bags.




Fig. 48.

*Fig. 48* represents a very convenient form of Bag for making dry, hot, or cold applications to any part of the body. The Bag (*B*) is of rubber, for the reception of hot or of ice water; the mouth is closed easily and securely by the brass clamp and screws with milled nuts, *A A*.

The rubber is of best quality, and will last for many years. They are about three inches in width, the price varying with the length, viz.:

	Post- age.
11 inches long . . . . .	\$2.20 04
13 " " . . . . .	2.40 04
15 " " . . . . .	2.60 05
17 " " . . . . .	2.80 06
19 " " . . . . .	3.00 06
Small Bags for throat . . . . .	

Bags of other sizes and forms made to order at short notice. Also, Dr. CHAPMAN'S Patent Ice and Hot Water Bags, with separate compartments, each \$5.00 to \$10.00.

### Water Bottles, &c.



Ice Cap.



Water Bottle.


These goods are strongly made, so as to be used with hot or cold water.

#### PRICES.

	Post- age.
One quart . . . . .	\$2.50 12
Two " . . . . .	2.75 15
Three " . . . . .	3.00 16
Four " . . . . .	3.50 16


*Ice Caps*, double, of vulcanized rubber, for cold applications to the head . . . 4.50 06

### Invalid Air Cushions.



DAVIDSON RUBBER CO.

Invalid Air Cushion.



DAVIDSON RUBBER CO.

Hospital Chair Cushion.


#### Invalid Air Cushions.

	Post- age.
No. 1, 13 inch . . . . .	\$3.25 20
" 2, 14 " . . . . .	3.50 20
" 3, 15 " . . . . .	3.75 20
" 4, 16 " . . . . .	4.00 25
" 5, 17 " . . . . .	4.25 25
" 6, 18 " . . . . .	4.50 25
Hospital Cushion . . . . .	5.00 25




**Chair Cushions, &c.**

*Chair Cushions*, each . . . . . \$5.00 25 Post-  
age.




DAVIDSON RUBBER CO.  
Chair Cushion.



DAVIDSON RUBBER CO.  
Air Pillow.

<i>Air Pillows</i> , size 9 x 13 . . . . .	\$2.25	14
" 10 x 16 . . . . .	3.00	16
" 12 x 18 . . . . .	4.00	20
" 14 x 23 . . . . .	4.50	30



DAVIDSON RUBBER CO.  
Bed Pan.

<i>Bed Pans</i> , Soft Rubber . . . . .	\$4.50	30
Porcelain . . . . .	2.00	



Drinking Tube.

<i>Drinking Tubes</i> , . . . . .		
Glass . . . . .	.25	04
Silver (self-fastening to tumbler) . . . . .	5.00	04


**Rubber Urinals, for Males and Females.**

Fig. 1.

These Urinals are provided with valves, which prevent overflow,—also with tightly-closing stop-cocks,—and are of the greatest service for per-



Fig. 2.

sons afflicted with incontinence of urine. They are adapted for constant wear on the person, and, being of best French rubber, are quite durable.

	Post- age.
Male, without Scrotum-bag and Waistband, for day only, each . . . . .	\$2.50 05
“ “ “ “ with “ “ “ “ “ “ . . . . .	3.00 08
“ with “ “ “ “ “ “ “ “ (Fig. 1) . . . . .	4.00 08
“ without “ “ “ “ “ “ “ “ and night, each . . . . .	6.00 12
Female, for day only (Fig. 2), each . . . . .	3.00 08

## MISCELLANEOUS ARTICLES FOR INVALIDS.

<b>Porcelain Urinals</b> , male or female, each . . . . .	\$1.00 06
<b>Rubber Sheet</b> ing, for protection of bed, 1½ yds. wide, per yard . . . . .	2.25 10
<b>Bandage Gum</b> , for wet dressings, 32 inches wide, per yard . . . . .	2.50 10
<b>Oiled Silk</b> , per yard . . . . .	1.00, 2.00 08
<b>Spongio Piline</b> , per square foot . . . . .	2.00 06
<b>Bottle Taps</b> , for drawing small quantities of Champagne, Porter, &c. . . . .	2.50 to 6.00 03
<b>Feeding Cups</b> , Porcelain . . . . .	.38 08
<b>Medicine Spoons</b> , Porcelain . . . . .	.25 to .75 03
<b>Tumbler</b> , Graduated, and Minim Glass, in one case . . . . .	1.00 08
<b>Arm-Rests</b> , to suspend from neck . . . . .	2.00 06
<b>Bed-Rests</b> , Black Walnut, formed like the back of a chair, and supporting the invalid at any desired angle between a lying or a sitting posture . . . . .	6.00
<b>Invalid Wheel Chairs</b> , easy, strong, and durable, with extension head and foot rest, which can be elevated for out-door use, making it nicely adapted for walks and lawns; has 24-inch wheels, with outside rim to propel by; gives universal satisfaction to all invalids; very compact for transportation . . . . .	25.00
Boxing, extra . . . . .	2.00





## MOUTH, THROAT, AND NOSE INSTRUMENTS.



Teurck's Tongue-Holder.

COWMAN & SHURTLEFF,  
BOSTON.




Fig. 51.

COWMAN & SHURTLEFF,  
BOSTON.


**Tongue Depressor, Tractor, and Case Spatula.** Fig. 51 represents a new combined Tongue Depressor, Tractor, and Case Spatula, of our own design. It is convenient for either use, strong, light, compact,  $3\frac{1}{2}$  inches long,  $\frac{3}{8}$  wide,  $\frac{1}{8}$  thick, steel, nickel-plated, and does not rust. Convenient for pocket-case, medicine trunk, or the vest pocket.

Post-  
age.

	Price	1.00	02
<b>Teurck's Tongue-Holder</b> , steel, ebony handle		3.00	04
Steel, japanned		1.00	05
Hard rubber		1.00, 1.75, 2.00	03
<b>Allen's Tongue-Holder</b> , folding, steel, wood handle		.75	03
<b>Tonsillators</b> , Fahnestock's		7.00	08
“ improved		10.00	08
Warren's		9.00	08
Massachusetts General Hospital		10.00	08
Automatic, transfixes and removes with one movement of one hand		12.00	
<b>Uvula Scissors</b>		3.50	03
“ “ and Forceps combined		5.00	04
<b>Tonsil Bistoury</b> , Green's		2.00	03
<b>Hooks</b> , double		2.25	03
<b>Volsetum Forceps</b>		2.50	03
<b>Staphylorraphy Knives</b> , right or left, or double edge, each		2.50	03
<b>Needles</b> , spiral, fixed handle		1.75	03
<b>Scissors</b>		3.50, 4.50	04
<b>Forceps</b> , for seizing		2.50, 4.50	03
<b>Hare-lip Pins</b> , common, per hundred		.75	02
canula, with trocar to take out, each		.50	02
<b>Conductor</b> , Buck's		1.50	04
<b>Clamps</b> , Prince's		3.00	04
<b>Forceps</b> , Smith's		6.00	04
<b>Scissors</b> , knee-bent		1.00, 1.25	02
<b>Instrument</b> for reducing lockjaw, horn screw		1.25	02
Heister's, steel		5.00	08
<b>Probang Syringe</b> . The piston forces solutions through the sponge in quantities that may be desired		1.75, 2.25	05
<b>Probangs</b> , Sponge end, each		.25	01
Hard-rubber end, for dilating, twelve sizes, each		.75	03
Bristle, an admirable contrivance for removing foreign bodies from throat and air passages (see cut)		1.50	05



**Powder Insufflator**, for the insufflation to the pharynx or larynx, or other superficial cavities of the body, of astringent or haemostatic powders; consists of a properly curved or straight metal tube (nickel-plated), attached to a net-covered rubber bulb. The powder is placed in a fenestrum *D*, in the upper surface of the tube; the opening tightly closed by the slide *B*, and the powder discharged by compression of the bulb.




Powder Insufflator.

Price, as per cut, curved  
or straight . . . \$2.00 04  
Dr. Oliver's, with flexi-  
ble tube and valve . 2.50 05

**Throat Brushes**, Badger's hair and quill, each . . . . .15 01  
Socket handles for, with one brush, " . . . . .1.25 02  
Extra brushes for socket handle . . . . .25 01

#### Laryngoscopic Sets.

**No. 1**, consisting of Schrötter's Improved Head-mirror, three Laryngeal Mirrors, and Tongue-depressor, in Velvet-lined Morocco Case . . . 14.50 30  
**No. 2**, consisting of Schrötter's Improved Head-mirror, three Laryngeal Mirrors, Tongue-depressor, Lente's Caustic Probe, Hard-rubber Uvula Retractor, and Sponge-holder, in Velvet-lined Morocco Case . . . 18.00 38  
**No. 3**, consisting of Schrötter's Improved Head-mirror, three Laryngeal Mirrors, Tongue-depressor, Lente's Probe, Uvula Retractor, and Brun's Laryngeal Forceps, in Velvet-lined Morocco Case . . . 21.00 38  
**No. 4**, consisting of Schrötter's Head-mirror, three Laryngeal Mirrors, Church's Self-retaining Tongue-holder, Uvula Retractor, Lente's Caustic Probe, and Brun's Laryngeal Forceps . . . 28.00 40




Schrötter's Concave Mirror.

**Mirrors**, Troltsche's Concave Reflecting, with handle, four sizes . 3.50, 4.00, 4.50, 5.00 12  
Same, Concave, to mount upon head of operator . . . . .6.00 12  
Schrötter's Concave, three and a half inches in diameter, to mount upon head of operator, latest improved band and nose-rest (see cut) . . . . .8.00 12  
Same, plane . . . . .7.00 12  
Simple Throat Mirror (see cut), three sizes . . . . .1.00 03



Simple Throat Mirror.





**Laryngoscopic Lantern, or Light Concentrator**, invented by Dr. H. K. OLIVER. This is, as far as we know, the only Laryngoscopic Lantern made in the United States, those in use here being all imported from Europe. To nearly all of these instruments there is the objection that they are adapted to a particular kind of lamp or gas fixture. The invention of Dr. Oliver obviates this objection, — his Lantern being, by a number of very simple contrivances, easily fitted to any kind of lamp or fixture. The want of a portable Light Concentrator, of universal adaptability, has been greatly felt by laryngoscopists when called upon to examine cases away from their office. It has also, as we know from personal experience, obstructed the desirable extension of the study and practice of laryngoscopy, inasmuch as general practitioners and students have found it necessary, in order to provide themselves with a Light Concentrator, to purchase also the fixture or lamp to which it was attached.

Dr. Oliver's Instrument is designed for direct light, — a method preferred by many laryngoscopists to reflected light. The lens, however, is of sufficient diameter for use with the frontal reflector, if thought desirable.


Auto-laryngoscopy being by general acknowledgment an important means of acquiring skill in the use of the laryngoscope, there is attached to the Lantern a small mirror, which, by a very simple mechanism, has nearly all the movements usually afforded by the ball and socket joint.


This Light Concentrator will be found useful not only in laryngoscopy, but in the examination of the external ear.

In the same box in which the Lantern is packed, is a rack for three sizes of Laryngeal Mirrors, copied from London mirrors imported by Dr. Oliver, with which they bear favorable comparison.

*Description.* — The Lantern is made up of three main portions, — the front piece *A*, and two wings which hinge upon the front piece, and by which the diameter of the Lantern may be increased beyond the diameter of any of the glass chimneys in ordinary use. These wings may be locked together at the desired point, as at *a a*. The height of the flame from the part of the lamp suited for a support to the Lantern varies considerably, of course, in different lamps and gas stands; and, inasmuch as the lens must be on a level with the flame, the tube containing it is attached to a slide *B*, which, moving in grooves in the front main piece, may be raised or lowered, as found necessary. The lens is also movable within the tube, in order to admit of its being retained at its focal distance from the flame, when the diameter of the Lantern is changed. The movement is made by the sliding of a knob on each side (*b*) in an elongated opening in the tube. The Lantern is made firm upon the lamp by passing a bit of cord back and forth between the instrument itself and hooks (*d*), which are strung upon a cord tied around any suitable place in the lower part of the lamp. This arrangement is simple, extremely efficient, and universally practicable, — the latter point being difficult of attainment by any other mechanism. At *c* is seen the little mirror for use in auto-laryngoscopy.

	PRICE.	Post- age.
Laryngoscopic Lantern . . . . .	\$4.00	24
Auto-Laryngoscopic Mirror, additional . . . . .	1.00	03
Set of three Laryngoscopic Mirrors . . . . .	3.00	04
All the above fitted in Case . . . . .	9.00	32
Laryngeal Mirrors separately, any size . . . . .	1.00	03

 Concise rules for use furnished with each Instrument.



Schrötter's Teurk's Set of Instruments.

		Post- age.
<i>Tobold's Laryngoscope</i> , large	\$25.00	
<i>Weber's</i> " "	25.00	
<i>Student's Lamp</i> , to fit above	6.00	
<i>Tracheotomy Tubes</i> , double,		
hard rubber . . . . .	3.00	02
Same, silver, accord. to size, 5.50 to 6.00	02	
<i>Tracheotomy Dilators</i> , 2.50,	3.50 to 6.00	03
<i>Scalpels</i> . . . . .	1.50	03
<i>Forceps</i> , for		
removing obstructions from		
tube . . . . .	4.50	03
<i>Tracheotomy Swab</i> , for cleans-		
ing tube . . . . .	.25	01
<i>Sponge-holders</i> , Buck's, curved	1.25	03
Small size . . . . .	1.25	02
<i>Syringes</i> , Catarrhal, hard rub-		
ber . . . . .	1.38	03
<i>Syringes</i> , Warner's Catarrhal		
Douche . . . . .	2.00	04
<i>Syringes</i> , Sanborn's, metal, sil-		
ver-plated, with two tubes for		
nares, in case . . . . .	6.00	06
<i>Syringes</i> , Teurk's Laryngeal .	3.50	05
Universal, hard rub-		
ber, to use with one hand,		
with tubes suitable for appli-		
cations to the uterus, male		
and female urethra and blad-		
der, ear, larynx, nares, with		
conical hard-rubber stopcock		
to fit catheters or trocars for		
hydrocele . . . . .	12.00	16
<i>Forceps</i> , Bond's Oesophagus .	2.50	05
Burge's " . . . . .	4.50	05
Laryngeal . . . . .	3.50, 4.50	05
" Brun's latest . . . . .	5.00	05
Simrock's . . . . .	4.50	05
<i>Knives</i> , Tobold's Laryngeal .	1.50	05
" " concealed . . . . .	5.00	05
<i>Caustic Probes</i> , Lente's, coin silv.	1.25	02
" platina . . . . .	3.00	02
<i>Caustic Holder</i> , concealed, silver .	6.00	04
" platina . . . . .	12.00	06
<i>Schrötter's Teurk's Set of Laryngeal Instruments</i> , modified by ourselves,		
consisting of two Knives, three Forceps of assorted shapes, and Con-		
cealed Caustic Holder, all fitting into one universal handle, operated		
with one hand, the whole contained in neat morocco case . . . . .	45.00	30
(Extra Knives, Forceps, &c., made to order, for special cases, to fit the above set.)		
<i>Inhalers</i> , Olive Tar, all glass . . . . .	.75	
" " glass bottle, metal top, nickel-plated . . . . .	.75	08
Laforme's . . . . .	1.00	
Cutler's Pocket (retail, \$2.00) . . . . .	1.50	04
Kirkwood's . . . . .	2.50	
Warren's (nasal) . . . . .	2.00	



**Respirators**, Anti-cold Air, a protection to weak lungs, preventing coughing, covering the mouth only; material, gold-plated wire gauze, suitably mounted . . .


Post-  
age.

\$3.00 04

**Respirators**, Anti-Dust, an efficient protection from dust, for workmen in manufactories . . . 2.00 05



Anti-Dust Respirator.



Nasal Speculum.

**Nasal Speculum**,

Folsom's (see cut),  
steel, gold-plated . . .

2.00 02

**Nasal Speculum**,

Thudichum's . . .

1.00 02

Frankel's . . .

4.50 02

**Nasal Polypus**

**Forceps**, fenestrated . . .

2.75 05

The same, improved . . .

2.75 05


hospital style . . .

2.75 05

**Nasal Canula**, Bellocque's, for epistaxis, . . . 3.00 03

**Syringe**, Green's, glass, to fit nostril, each . . . 30 04

## MEDICINE CHESTS FOR PHYSICIANS.



Wood, dovetailed corners, covered with the best Russet Leather, containing the following square ground-stoppered Bottles, in mahogany trays, with Mortar, Graduated Measure, four Ointment Pots, Tray for Scales, and Space for Instruments, &c., under Bottles.

				BOTTLES.	SIZE IN INCHES.			Post- age.
					Length.	Width.	Height.	
No. 1 (see cut),	2 4-oz.	14 2-oz.	16 1-oz. = 32	11	8 $\frac{1}{4}$	9 $\frac{1}{4}$	\$20.00	
" 2,	2 4-oz.	12 2-oz.	13 1-oz. = 27	9 $\frac{3}{4}$	8 $\frac{1}{4}$	9 $\frac{1}{4}$	18.00	
The following without Mortar, Measure, and Pots:—								
" 3,	4 3-oz.	10 2-oz.	6 1-oz. = 20	9 $\frac{1}{2}$	7	8 $\frac{1}{4}$	14.00	
" 4,	15 $\frac{1}{2}$ -oz. Bottles.			8 $\frac{1}{4}$	5 $\frac{3}{4}$	7 $\frac{1}{4}$	12.00	
The following flat, with Tray in front of Bottles:—								
" 5,	10 2-oz.	4 1-oz.	= 14	9	6 $\frac{1}{2}$	5 $\frac{3}{4}$	11.50	
" 6,	5 4-oz.	7 2-oz.	6 1-oz. = 18	10	7 $\frac{3}{4}$	5 $\frac{3}{4}$	14.00	
" 7,	4 4-oz.	9 2-oz.	12 1-oz. 6- $\frac{1}{2}$ oz. = 31	13	8 $\frac{3}{4}$	6	16.00	

All the above with locks and keys.

No.		BOTTLES.	SIZE IN INCHES.				Post- age.
			Length.	Width.	Height.		
8,	Buckle & Strap	5 1- $\frac{1}{2}$ oz.	4 1-oz. (space front) = 9	7	4 $\frac{3}{4}$	4 $\frac{3}{4}$	\$6.50 .45
9,		2 4-oz.	6 2-oz. " " = 8	7 $\frac{1}{4}$	5	5	7.00 .55
10,		7 1 $\frac{1}{2}$ oz.	" " " "	7	3 $\frac{3}{8}$	4 $\frac{3}{4}$	5.50 .42
10,		10 1 $\frac{1}{2}$ oz.	filled with bottles,	7	3 $\frac{3}{8}$	4 $\frac{3}{4}$	6.00 .48
11,		8 1-oz.		5 $\frac{3}{4}$	3 $\frac{1}{2}$	3 $\frac{1}{2}$	5.00 .35
12,		6 2-oz.	flat, with clasp,	8 $\frac{3}{4}$	5 $\frac{1}{2}$	2	5.00 .40
13,		6 2-oz.	12 $\frac{1}{2}$ -oz. " " " " = 18	9 $\frac{3}{4}$	5 $\frac{1}{2}$	3 $\frac{1}{4}$	9.00


Medicine Trunks, of the above styles, made to order, with any number of bottles required, in from two to three weeks' time.

Scales and Weights, from . . . . .	\$1.00 to 2.00	07
Complete set of Latin labels, . . . . .		.15 01
Saddle Bags, containing 16 1-oz. Bottles, corked, stout leather . . . . .	12.00	
" " " 20 $\frac{1}{2}$ -oz " " " " . . . . .	14.00	

Saddle Bags made to order.

Glass Graduates, 1 to 6 oz. . . . .	.45 to 1.25	
Minim Glass . . . . .	.50	

## MEDICINE CASES FOR POCKET.



No.							Post- age.
1,	Pocket Medicine Case,	16 2-dr'chm Vials,	Calf Skin . . . . .	\$1.50	.10		
2,	"	16 2 "	Goat " . . . . .	2.00	.10		
3,	"	20 2 $\frac{1}{2}$ "	Calf " . . . . .	2.00	.12		
4,	"	20 2 $\frac{1}{2}$ "	Goat " . . . . .	2.50	.12		
5,	"	4 2 $\frac{1}{2}$ "	for Vest Pocket . . . . .	.80	.05		
6,	"	9 2 $\frac{1}{2}$ "	One row upright . . . . .	1.63	.10		
7,	"	16 1 $\frac{1}{2}$ "	Portmonnaie style . . . . .	2.50	.10		
8,	"	18 1 $\frac{1}{2}$ "	" " " " . . . . .	2.75	.10		
9,	"	24 2 "	" " " " . . . . .	4.50	.15		
10,	"	20 4 "	Morocco, Gilt, Strap . . . . .	3.00	.15		
11,	"	24 2 "	Gilt Nos., upright . . . . .	3.00	.14		
12,	"	12 2 $\frac{1}{2}$ -dr. and 8 6-dr. Vials,	Turkey Mor. . . . .	3.75	.22		
13,	"	20 2 "	Vials, Wrapper Cases . . . . .	2.50	.15		
14,	"	12 2 "	and 8 4 dr. " . . . . .	2.75	.18		
15,	"	10 2 "	7 4 dr. and 2 1-oz. Bottles . . . . .	3.75	.25		
16,	"	8 3 "	Vials, best Russia Leather . . . . .	3.75	.10		
17,	"	16 3 "	" " " " . . . . .	4.25	.15		
18,	"	20 2 $\frac{1}{2}$ "	Box-style . . . . .	3.50	.12		
19,	"	6 3 "	One row, Red Leather . . . . .	2.00	.10		
20,	"	10 3 "	" " " " . . . . .	2.25	.10		
21,	"	12 3 "	Wrapper Case, . . . . .	2.50	.12		
22,	"	10 3-dr. and 14 1 $\frac{1}{2}$ dr. Vials,	Red Leather, . . . . .	3.00	.12		
23,	Buggy	12 4-dr. and 24 2 dr. "	Mor., Handle . . . . .	7.00	.28		
24,	Pocket	18 4-dr. "	Red Leather . . . . .	3.00	.18		
25,	"	24 3 and 16 1-dr. "	Morocco . . . . .	3.75	.25		
26,	"	24 3-drachm "	" " " " . . . . .	3.25	.18		



## OBSTETRIC INSTRUMENTS.

(See also UTERINE)



Denman's.



Comstock's.



Meigs'.



Thomas'. Post-

Forceps.			Post- age.
<i>Hodges'</i>	. . . . .	\$8.00	25
<i>Simpson's</i>	. . . . .	8.00	24
Same, small	. . . . .	7.00	17
<i>Bedford's</i>	. . . . .	8.00	25
<i>Elliot's</i>	. . . . .	9.00	30
<i>Buzzell's</i>	. . . . .	10.00	

<i>Beatty's</i>	. . . . .	\$7.50	17
<i>Denman's</i>	. . . . .	7.00	22
<i>Meigs'</i>	. . . . .	7.50	20
<i>Davis'</i>	. . . . .	7.50	23
<i>Comstock's</i>	. . . . .	8.00	22
<i>Thomas'</i>	. . . . .	7.00	18
<i>Robertson's</i>	. . . . .	8.00	21



Hodges'.



Elliot's.



Bedford's.



Simpson's.

*Vectis* (Fig. 1) . . . . . \$2.50 08



Fig. 1.

*Blunt Hook and Crotchet* (Fig. 2) . . . . . 1.50 07



Fig. 2.

*Guarded Blunt Hook and Crotchet* (Fig. 3) . . . . . 4.50 10



Fig. 3.

*Smellie's Perforator* (Fig. 4) . . . . . 2.50 10




Fig. 4.

*Garland's Perforator* (Fig. 5) . . . . . 3.50 06




Fig. 5.

*Meigs' Forceps*, for craniotomy (Fig. 6), straight or curved . . . . . 3.50 16




Fig. 6.

*Ramsbotham's Forceps*, for craniotomy (Fig. 7) . . . . . 6.00 19



Fig. 7.



**Plain Placenta Forceps** (Fig. 8) . . . . . \$2.50 05




Fig. 8.

**Improved Placenta Forceps** (Fig. 9) . . . . . 3.00 05




Fig. 9.

**Loomis's Ovum Forceps** (Fig. 10) . . . . . 6.00 08



Fig. 10.





Fig. 11.

Fig. 11 shows the same, closed for introduction. Either blade may be rotated around the other upon the interior circumference of the uterus.

<b>Thomas' Perforator</b> . . . . .	8.00	15
<b>Bedford's</b> " . . . . .	2.00	06
<b>Negele's</b> " . . . . .	4.00	10
<b>Blunt Hook</b> , with ebony handle . . . . .	2.50	06
<b>Crotchet</b> " " " " . . . . .	2.50	06
<b>Placenta Hook</b> . . . . .	1.25	02
<b>Simpson's Cranioclast</b> . . . . .	10.00	
<b>Morocco Roll-up Cases</b> , for Obstetric Instruments . . . . .	6.00	12

## PESSARIES.

**Dr. James' Uterine Supporter**, an approved instrument for holding the prolapsed uterus *in situ naturali*, without irritation or inconvenience in wearing. We make three sizes, the metal parts being nickel or gold plated, abdominal plate hard rubber, and the belt elastic webbing.




Uterine Supporter.

Price of either size, nickel-plated . . . . .	6.00	10
" " " " gold-plated . . . . .	7.50	10

### MEASUREMENT OF SIZES.


Small size, external diameter of cup, $1\frac{1}{4}$ inches.
Medium " " " " $1\frac{3}{4}$ "
Large " " " " 2 "



Post-  
age.

**Pessaries.**

<b>A, India-rubber Inflating Ring</b> , various sizes, also pear or globe shape, each . . . . .	\$1.50	02
<b>B, Meigs' Ring</b> , steel spring, covered with gutta percha, various sizes, each . . . . .	.50	01
<b>C, Permanent Air</b> , various sizes, each . . . . .	.75	02



<b>D, Inflating Pessary</b> , also used for plugging the vagina, to stop hemorrhage from the uterus . . . . .	1.50	02
<b>E, Inflator for Pessaries</b> . . . . .	.75, 1.25	03



<b>F, Hodges' Open Lever</b> . . . . .	each	.60	.02
<b>G, " Closed "</b> . . . . .	"	.60	.02
<b>H, Miller's</b> . . . . .	"	1.25	.02




<b>I, Bow</b> . . . . .	each	.60	.02
<b>J, Smith's Retroversion</b> . . . . .	"	.75	.02
<b>K, Thomas' Retroflexion</b> . . . . .	"	1.50	.02





## Pessaries.

L, <i>Thomas' Retroversion</i>	each	\$1.50	.02
M, " <i>Anteversion</i>	"	2.50	.02
N, <i>Scattergood's</i> , with concealed springs, for elongating while <i>in situ</i>	"	3.00	.02



O, <i>Conant's Intra-uterine Stem</i> , open and closed, for introduction,	each	\$2.75	.02
P, <i>Edwards' Intra-uterine</i> , one leaf closed	"	2.75	.02
Q, <i>Intra-uterine Stem</i>	"	.75	.02



R, <i>Intra-uterine Stem</i> , galvanic	each	\$1.25	.02
S, <i>Concave Ring</i> , hard rubber	"	.50	.02
<i>Thomas' Beaded Intra-uterine Stem</i>	"	2.00	.02
<i>Hewitt's Ring</i> , copper wire covered with gutta percha, can be moulded	"	.50	.02
<i>Block Tin</i> " can be moulded	"	.50	.02
<i>Peaslee's</i> " steel spring, covered with pure rubber	"	.50	.02
<i>Gum</i>	"	.50	.02
<i>Glass Globe</i>	"	.25	.04
<i>Concave</i>	"	.25	.04
<i>Buttle's</i> , hard rubber	"	.75	.02
<i>Hoffman's Anatomical</i>	"	1.50	.02

**Pessaries.**

			Post- age.
<i>Hurd's</i> , hard rubber . . . . .	each	\$2.00	.02
<i>Zwank's</i> , " " . . . . .	"	3.00	.03
<i>Simpson's Stem</i> , with outside support, silver-plated . . . . .	"	6.50	.06
<i>Wadsworth's "Uterine Elevator"</i> . . . . .	"	5.00	.12
<i>Hornby's</i> " <i>Supporter</i> . . . . .	"	5.00	.06
<i>Babcock's</i> " " pure silver . . . . .	"	12.50	.12
<i>McIntosh's</i> " " . . . . .	"	8.00	.12

(Pessaries made to order, from accurate description.)

**Dr. E. Cutter's Pessaries.**

Vaginal portion of hard rubber, supported by a belt passing around the hips.

These pessaries have each the single posterior support, the hooked termination and joint. They differ from most pessaries in use, in that they distend the vagina always in its long diameter, never transversely, and therefore never interfere with the normal tonic contraction of its transverse fibres. Their fixed point, by means of the elastic suspension, is the sacrum, and not the vaginal or pelvis walls. The suspension imitates the natural elasticity of the normal uterine supports, and permits a limited degree of motion. The suspension cord runs in the furrow between the buttocks, which prevents lateral motion of the pessary. Motion upwards is prevented by the post-utero vaginal cul de sac; downwards, by the suspension; forwards, by the cervix uteri; and backwards by the promontory of the sacrum.

The joint in the crook obviates the necessity of removing the belt,—permitting the tubing to be turned aside during defecation, at the same time serving as a handle, by means of which the vagina may be kept at its normal length, and the uterus *in situ naturalis* during the bearing-down efforts, which, under other circumstances, are likely to retrovert a replaced womb.




Fig. 3. Retroversion Loop Pessary.

## FOR RETROVERSION.

## Dr. Cutter's Loop Pessary.

				Post- age.					Post- age.						
No. 1,	5½ inch,	each	.	.	\$3.00	.04	No. 3,	4½ inch,	each	.	.	\$3.00	.04		
" 2,	5	"	"	.	.	3.00	.04	" 4,	4	"	"	.	.	3.00	.04



Fig. 4.

## Dr. Cutter's T Pessary.

		Post- age.
No. 1,	4 inch	\$3.00 .04
" 2,	4½ "	3.00 .04
" 3,	5 "	3.00 .04

## FOR ANTEVERSION.




Fig. 13.

## Dr. Cutter's Loop Pessary.

No. 1,	3½ inch	\$3.00	.04
" 2,	3¾ "	3.00	.04
" 3,	4 "	3.00	.04
" 4,	4½ "	3.00	.04



Fig. 14.

## Dr. Cutter's T Pessary.

		Post- age.
No. 1,	3½ inch	\$3.00 .04
" 2,	3¾ "	3.00 .04
" 3,	4 "	3.00 .04
" 4,	4½ "	3.00 .04

Each of the several kinds of Dr. Cutter's Pessaries, and of Dr. Thomas' modification, is supplied with strap and belt, not shown in the cuts.



## FOR SIMPLE PROLAPSUS.



Fig. 19.

## Dr. Cutter's Ring Pessary.

				Post- age.
No. 1,	Length, $3\frac{1}{4}$ inch .	\$3.00	.04	
" 2,	" $3\frac{1}{2}$ " .	3.00	.04	
" 3,	" $3\frac{3}{4}$ " .	3.00	.04	
Diameter of Ring No. 1, $1\frac{1}{4}$ inch.				
"	" " " 2, 2 "			
"	" " " 3, $2\frac{1}{2}$ "			



Fig. 18.

## Dr. Cutter's Cup Pessary.

				Post- age.
No. 1,	Length, $3\frac{1}{4}$ inch .	\$3.00	.04	
" 2,	" $3\frac{1}{2}$ " .	3.00	.04	
" 3,	" $3\frac{3}{4}$ " .	3.00	.04	
Diameter of Cup No. 1, $1\frac{1}{4}$ inch.				
"	" " " 2, $1\frac{1}{2}$ "			
"	" " " 3, $1\frac{3}{4}$ "			

## FOR FLEXIONS.




Fig. 8.

## Dr. Cutter's Stem Pessary.

No. 1,	Length of stem, $1\frac{1}{4}$ inches .	\$3.00	.04
" 2,	" " " 2 "	3.00	.04
" 3,	" " " $2\frac{1}{4}$ "	3.00	.04
Whole length — No. 1, $4\frac{1}{4}$ ; No. 2, $4\frac{1}{2}$ ; No. 3, $5\frac{1}{4}$ inches.			

**Thomas' Modification** of the Cutter Loop Pessaries is represented by Fig. 20, and consists of a cylindrical piece of hard rubber, of suitable size, attached to the top of the same; the lengths desired may be ordered by the numbers and sizes used in connection with Dr. Cutter's Loop Pessaries . . . . . \$3.50 .04



Fig. 20.

**Cutter's Sound** (Fig. 1) is for obtaining accurate measurements of the vaginal walls. While the uterus is held *in situ* by the uterine sound, the vaginal sound is carried forward into the cul-de-sac, and an accurate measurement is obtained by means of the graduations; each . . . \$2.00 .03



Fig. 1.

**Cutter's Vaginometer** (Fig. 2) is a combination of two vaginal sounds, handled and jointed together at the proximal ends. The use of this instrument will give the size of the uterus, and both anterior and posterior walls are measured at once . . . . . \$6.50 .06




Fig. 2.

For complete description of these Pessaries and of Dr. Cutter's instruments for vaginal mensuration, see Monograph by Dr. Cutter on Versions and Flexions, which Dr. Cutter desires all who apply his Pessaries to read. Price, post-paid, fifty cents.

## PIPETTES.




Fig. 52.

**Fig. 52.** This neat little invention enables the physician to drop one or more drops of any liquid, with entire certainty that the number wanted will not be exceeded.

It is held between the thumb and index finger; the rubber cap is compressed, first, to expel air, and, when charged, to expel the fluid.

Price . . . . .15 02

## POCKET CASES AND INSTRUMENTS.

- |               |   |            |
|---------------|---|------------|
| <b>No. 1.</b> | Morocco Case, two-folds, German silver lock, containing the following Instruments: Straight spear and curved probe-point Bistouries, Gum Lancet, Tenaculum, with hard-rubber handles, straight Scissors, plain Artery Forceps, Dressing Forceps, Silver Probe, steel-grooved Director, Caustic Holder, Female Catheter (silver-plated), three curved and two straight Needles, Ligature Silk . . . . .  | \$10.00 10 |
| <b>No. 2.</b> | Morocco Case, two folds, German silver locks, containing the following, with hard rubber handles, straight spear and curve probe point Bistouries, Gum Lancet, Tenaculum, straight Scissors, plain Artery Forceps, Dressing and Polypus Forceps, Silver Probe, steel grooved Director, Caustic Holder, Male and Female Catheter, combined (silver-plated), three curved and two straight Needles, and Ligature Silk . . . . .   | 11.00 10   |
| <b>No. 3.</b> | Same as No. 2, with Shell Handle Instruments . . . . .  | 12.00 10   |
| <b>No. 4.</b> | Best Turkey Morocco Case, two folds, German silver lock, containing the following Instruments of best quality and finish, <i>Shell Handles</i> : straight spear and curved probe-point Bistouries, Gum Lancet, Tenaculum, spring-catch Artery Forceps, Dressing and Polypus Forceps, straight Scissors, two Silver Probes, steel-grooved Director, Combined Male and Female Catheter (silver), Caustic Holder, three curved and two straight Needles, and Ligature Silk . . . . .   | 16.00 10   |
| <b>No. 5.</b> | Same as No. 4, but with Female Catheter only, silver . . . . .  | 14.00 10   |
| <b>No. 6.</b> | Best Turkey Morocco Three-fold Case, German silver lock, containing the following warranted Instruments of best quality and finish, <i>Shell Handles</i> : Scalpel, curved probe and straight spear Bistouries, Gum Lancet, Tenaculum, Abscess Lancet, straight and curved Scissors, spring-catch Artery Forceps, Dressing and Polypus Forceps, Tongue Spatula, steel-grooved Director, two silver Probes, Caustic Holder (Ebony), combined Male and Female Catheter (silver), four curved and two straight Needles, and Ligature Silk, . . . . . | 20.00 12   |
| <b>No. 7.</b> | Same as No. 6, with hard-rubber handle Instruments, and plated combined Male and Female Catheter . . . . .  | 17.00 12   |
| <b>No. 8.</b> | Same as No. 6, with slide catch to Shell Handle Instruments, fixing the blades when open or shut . . . . .  | 22.00 12   |
| <b>No. 9.</b> | Prof. Gross' Compact Red-leather Two-fold Case, German silver lock, containing the following warranted Instruments, with double Shell Handle slide-catch Instruments: Scalpel and straight spear  |            |

Post  
age.

Bistoury, curved probe and curved spear-pointed Bistouries, Gum Lancet and Tenaculum, straight Scissors, Artery and Needle Forceps combined, Dissecting Forceps, Polypus and Dressing Forceps, Exploring Needle, combined Male and Female Catheter and Caustic Holder (plated), Grooved Directors, two silver Probes, six Needles and Ligature Silk . . . . .

\$22.00 10

**No. 10.** Compact, best Turkey Morocco Two-fold Case, with silver lock, containing the following warranted Instruments, the Cutting Instruments being Shell Handle, double-bladed, with slide catch, to fix the blades when open or shut: Scalpel and curved spear Bistoury, straight spear and curve probe Bistoury, Gum Lancet and Tenaculum, straight Scissors with lock-joint, spring-catch, Artery Forceps; Universal Forceps (comprising Polypus, Dressing Needle, and Tumor Forceps, single or double Tenaculum, with lock-joint); silver-grooved Directors, two silver Probes, combined Male and Female Catheter and Caustic Holder (silver), six Needles and Ligature Silk . . . . .

25.00 10


**No. 11.** Compact Case. Same as No. 9, with Charriere's (French) Instruments . . . . .

32.00 10

**No. 12.** Red Leather Two-fold Case (very compact), containing the following warranted Instruments, the Cutting Instruments being Shell Handle, double-bladed, with slide catch to fix the blade when open or shut; Scalpel and straight spear Bistoury, curved Probe and curved spear Bistoury, Tenaculum and Tenotome combined, Artery and Needle Forceps, slide-catch, two silve Probes, grooved Spoon Director, Exploring Needle (Ebony case), straight Scissors; Lancet (Shell Handle, silver-plated); combined Male and Female Catheter, and Porte Caustic; six assorted Needles, and Ligature Silk . . . . .

20.00 10

(Any changes in the above Cases can be made to suit the buyer.)

 Pocket Cases of Instruments made up to order, with any number or style of Instruments required, of our own or of Charriere's (French) manufacture.

### Pocket-Case Instruments—Single.



**Pocket Case Instruments,** Hard-rubber Handles, folding, *single blades*, plain Scalpel, curved Probe Bistoury, straight spear Bistoury, curved spear Bistoury, probe-point Tenotome, sharp-point Tenotome, Gum Lancet, Tenaculum, Aneurism Needle. For shapes of blades, see cuts A, B, C, D, E, F, G, H, I. Price, without slide catch, each . . . . .

\$1.00 02

The same, with Shell Handles, each . . . . .

1.25 02


" " " " " and slide-catch, each . . . . .

1.75 02



*Pocket-Case Instruments*, Shell Handle, double-bladed, with slide-catch  
to fix blade when open or shut . . . . . See Cuts.

<i>Scalpel and Curved Spear Bistoury</i> . . . . .	J K	\$3.00 02
<i>Straight Spear and Curved Probe Bistouries</i> . . . . .	L M	3.00 02
<i>Gum Lancet and Tenaculum</i> . . . . .	N O	3.00 02
<i>Sharp-point and Blunt Tenotomes</i> . . . . .	P Q	3.00 02
<i>Scalpel and Tenotome</i> . . . . .	R S	3.00 02
<i>Scalpel and Straight Spear Bistoury</i> . . . . .	J M	3.00 02
<i>Curved Spear and Curved Probe Bistouries</i> . . . . .	K L	3.00 02
<i>Tenotome and Tenaculum</i> . . . . .	N P	3.00 02



<i>Lancets</i> , Shell Handles . . . . .	each .50, .75	02
“ “ French, Charriere’s . . . . .	“ 1.00	02
“ “ Evans’, genuine . . . . .	“ 1.00	02
“ “ Abscess . . . . .	“ 1.00	02

*Cutting Instruments*, for Pocket Cases, made to order, of any form or combination.

<i>Exploring Needle</i> , Shell Handle . . . . .	1.00	02
“ “ Ebony Case . . . . .	.63	02
<i>Seton</i> “ “ Shell Handles . . . . .	1.00	02

*Artery Forceps* (see page 27).

<i>Catheters, Combined</i> . . . . .	plated, 1.50; silver	3.25 03
--------------------------------------	----------------------	---------

<i>Catheters and Caustic Holder Combined</i> . . . . .	plated, 3.00; silver	4.50 04
--	----------------------	---------

<i>Silver Probes</i> , with or without eye, each . . . . .	.50	01
--	-----	----

<i>Grooved Director</i> , Steel, each . . . . .	.50	02
---	-----	----

“ “ Silver “ . . . . .	1.75	02
------------------------	------	----

<i>Tongue Spatula</i> , for Pocket Case, Steel . . . . .	.50	02
--	-----	----

<i>Scissors</i> , Straight . . . . .	.75, 1.00, 1.25, 2.00	03
--------------------------------------	-----------------------	----

“ “ Curved . . . . .	1.00, 1.25, 1.50, 2.00	03
----------------------	------------------------	----

<i>Dressing Forceps</i> . . . . .	1.00, 1.25, 1.50	03
-----------------------------------	------------------	----

<i>Caustic Holders</i> , Ebony Case, Silver Clasp, each . . . . .	.75	02
---	-----	----

“ “ “ Platina “ . . . . .	3.00	02
---------------------------	------	----

“ “ “ Hard Rubber . . . . .	.62 and .75	02
-----------------------------	-------------	----

<i>Pocket Cases</i> , empty, to replace those worn out . . . . .	2.25 to 3.75	04
--	--------------	----

*Needles and Silk* (see pages 27, 28).

## RECTAL AND HEMORRHOIDAL INSTRUMENTS.

					Post- age.
<b>Rectal Speculum</b> , glass, fenestrated . . . . .					\$1.00 08
<b>Rectal Speculum</b> , Allingham's, German silver, nickel-plated (see cut) . . . . .					4.00 05
Hilton's German silver, folding handle . . . . .					4.50 06
O'Reilley's, steel . . . . .					5.00 10
Bivalve . . . . .					4.00 06
Clam-shape . . . . .					4.00 06
<b>Bougies</b> , English, twelve sizes, each . . . . .					1.00 10
" conical . . . . .					1.75 10
<b>Tubes</b> , " each	Short.	Medium.	Long.		
	.75	1.00	1.50		08
French, long " . . . . .					1.00 08
<b>Pile Pipes</b> , hard rubber, for ointment, each . . . . .					1.00 02
<b>Suppositors</b> , Glass . . . . .					.30 04
hard rubber, each . . . . .	.75	.80	2.00		04
<b>Pile Pessaries</b> , hard rubber, self-retaining . . . . .					2.00 02
<b>Hemorrhoidal Clamps</b> , Smith's . . . . .					6.00 06
" ivory-mounted . . . . .					7.00 06
Ormsby's . . . . .					3.00 04
<b>Forceps</b> . . . . .			2.25 to 5.00		08
Gross's . . . . .					3.00 06
Bowdenham's . . . . .					4.50 06
<b>Scissors</b> , saw teeth . . . . .					4.50 08



Allingham's Rectal Speculum.

## SYRINGES.

**New Hypodermic Syringe.** These cuts (two-thirds the actual size) represent a new Hypodermic Syringe of our manufacture.




Fig. 48.

and uniform in size throughout; and the piston, which has the double parachute packing, operates with remarkable smoothness. There are two sharpened and tempered steel tubes, differing in size and length, thoroughly plated with gold. They are connected with the barrel by a screw thread.

This Syringe has a capacity of thirty minims; a scale on the piston rod may be used to indicate accurately the quantity required and used.

No. 1 has scale with cross lines for each minim. No. 2 has the same, and, in addition, the numbers 5, 10, 15, 20, 25, and also screw thread H B, and nut C; as represented in Fig. 48, enabling the operator to graduate the quantity required with entire ease and certainty. These Syringes are so thoroughly and strongly made as to be free from the annoying accidents common to most Hypodermic Syringes; and we believe that for convenience, durability, and nicety of construction, they have no superior.

Price, in neat morocco case, . . . . . No. 1, \$4.00; No. 2, \$4.50 03  
 No. 3, with hollow piston, containing one gold-plated needle, no case . . . . . 3.00 02  
 " 4, same as No. 3, but with two needles, one in piston, and one attached to the syringe, and protected by metal shield, no case . . . . . 4.00 02  
 Nos. 3 and 4 are suitable to carry in pocket-case of instruments, or pocket vial-case.

### Other Hypodermic Syringes.

No. 5, hard rubber, graduated to half and quarter of whole capacity, two steel gold-plated needles, in neat case . . . . .	\$3.00	02
" 6, same description, not as perfect . . . . .	2.75	02
" 7, glass, graduation engraved on barrel, silver-plated mountings, two steel gilt needles, in neat case . . . . .	3.50	02
" 8, same description, not as perfect . . . . .	3.00	02
" 9, glass, graduation engraved and numbered on piston, with screw nut, two steel gilt needles, in neat case . . . . .	4.00	02
" 10, glass, Luer's (French), graduation as No. 9, one gold needle and two steel needles, silver mountings, neat velvet-lined morocco case	13.00	02
Parts of Hypodermic Syringes:		
Barrels for No. 1 . . . . .	2.00	02
No. 2 . . . . .	2.50	02
No. 5 . . . . .	1.00	02
Glass, graduated, Syringe Barrels, No. 7 . . . . .	1.50	02
" " " " 9 . . . . .	2.00	02
Needles, gold-plated . . . . .	1.00	02
Cases for Hypodermic Syringes . . . . .	.63	02
(Hypodermic Syringes, of all kinds, promptly repaired.)		
<b>Davidson's Syringes</b> (Fig. 1), No. 1 . . . . .	2.00	12
" " " 2 . . . . .	1.75	10




Fig. 1.



Fig. 10.

<i>Davidson's Bag Vaginal</i>	(Fig. 10), 8 oz.	.	.	.	.	.	.	2.00	10
“ <i>Enema</i>	(“ 11), 6 “	.	.	.	.	.	.	1.50	08
“ “	(“ 11), 10 “	.	.	.	.	.	.	1.75	10
“ “	(“ 11), 16 “	.	.	.	.	.	.	2.00	14





Fig. 11.




Fig. 8.

<i>Davidson's Eye and Ear</i> (Fig. 8)	. . . . .	.62	03
<i>Mattson's</i>	. . . . .	2.00	16
<i>American</i>	. . . . .	1.00	10
<i>Fairbank's "Fountain,"</i> No. 2, common size, 1 qt.	. . . . .	2.00	14
" 3, " 2 "	. . . . .	3.00	18
<i>Molesworth's Vaginal Injecting and Suction</i>	. . . . .	2.00	14



<i>Hydrocele Bag</i> , with conical tube and stopcock	. . . . .	3.00	10
---	-----------	------	----





Hard-rubber Syringes.

**Syringes.**

				Post- age.
Hard Rubber, Vaginal, Fig. <i>E</i> , No. 2, common size				\$ .88 02
" " " " 3, larger				1.00 03
" " " " 2, with shield				1.25 04
" " " <i>D</i> , " 2, reverse flow				1.25 02
" straight tube, Fig. <i>A</i> , No. 1, $\frac{3}{8}$ oz.				.75 02
" " " " 2, $\frac{3}{4}$ "				.88 02
" " " " 3, 1 "				1.00 03
" " " " 4, 3 "				1.50 06
" " " " 5, 6 "				2.00 08
" " " " 6, 12 "				2.75 11
" " " " 4, with extra tubes, <i>B C</i>				2.25 08
" " " " 5, " " " "				3.00 10
" Sinus " <i>F</i> , " with straight or curved tube				.75 02
" Ear " <i>G</i> , " " " " " "				1.13 02
" Catarrhal " " " " " " "				1.38 02
Glass, Male . . . . .	per doz.,	\$2.00	each,	.25 06
" Female . . . . .	"	2.00	"	.25 06

(See also Uterine Syringes.)

## STETHOSCOPES & INSTRUMENTS FOR DIAGNOSIS.

### An addition to Canman's Double or Binaural Stethoscope,


INTENDED TO REGULATE THE AMOUNT OF PRESSURE ON THE EARS.

[From the Boston Medical and Surgical Journal of April 29, 1869.]

*Messrs. Editors:*—At the last meeting of the Suffolk District Society, I presented an addition to the Double Stethoscope. Accompanying this communication is a cut representing this instrument with the addition.

As the Double Stethoscope is very little used, even in this country, where it was invented, except by graduates of Harvard and Bellevue, and almost never, I believe, abroad,—convinced of its great superiority over the single instrument, I will briefly mention the reasons

for this superiority, and then speak of the addition which has been recently made to the instrument. Its advantages are :—



silk, which articulate at L L with two German silver tubes B B crossed, about ten inches in length and one-quarter of an inch in diameter, which terminate in ivory or hard rubber tips, A A, to fit into the ears.

The adaptation of these tips was formerly effected by a simple elastic band, passing about the tubes B B, these tubes being connected by arms meeting in a joint at K.

The only way in which the pressure on the ears could be varied, was by lengthening or shortening the elastic band, or by slipping it up and down on the tubes. The great inconvenience of this was particularly evident in my classes in auscultation, where the stethoscope was passed from one to another, and where not only were heads of all sizes, but where naturally much difference of opinion existed in regard to the amount of pressure desirable.

About a year ago I stated the difficulty to Mr. Moses G. Farmer, well known to our profession for his connection with the physiological experiments of Dr. Upham, in the case of M. Groux, and he immediately suggested the addition represented in the cut. C J represents a standard (so fixed as not to interfere with motion in the joint at K), the upper part of which is a screw. H represents a slide movable on this standard, F is a spiral spring, and D a nut. G G represent two arms attached by simple box joints to the slide at I I, and to the German silver tubes at E E.

It will be readily seen how the pressure of the tips A A upon the ears can be nicely regulated, by regulating the tension of the spiral spring F, by turning the nut D.

O represents a smaller pectoral extremity, which can be used sometimes with advantage in localizing heart murmurs, or when the application of the larger one is difficult on account

1. It greatly intensifies sound. Most of the single instruments simply conduct, a few slightly intensify them.

2. It is much more easily applied to the chest, and maintained in place, — a certain amount of knowledge of the art of balancing seeming almost necessary to manipulate the single instrument successfully.

3. We can keep our eyes upon the pectoral extremity, and thus be assured of its perfect adaptation, and prevent the friction of clothing, &c.

4. It excludes from the ear sounds not conducted by the instrument. The statement once made by Prof. Flint, that "in the conduction of thoracic sounds by Canman's Binaural Stethoscope, their quality and pitch were altered," has been since corrected by him; and he says, that after further use of the instrument, he finds "the objection on this score without foundation;" and, he adds, "I am sure that this instrument will supplant all wooden stethoscopes as soon as it is fully appreciated. . . . Some practice is requisite to realize its value; hence many reject it after an insufficient trial, when, had they continued to use it, they would have been, after a while, unwilling to give it up."

The instrument consists of a bell-shaped extremity, N, made of ebony, one inch and a half in diameter, to which are attached two elastic tubes M M, three inches long and one-half an inch in diameter, made of wire and covered with

of the emaciation of the patient or other cause, but ordinarily the larger one should always be used.

The instrument, with and without the addition, is made in a superior manner by MESSRS. CODMAN & SHURTLEFF, 13 & 15 Tremont Street.


In closing I would strongly urge all who practice auscultation to use the double instrument, and would simply suggest that they be not dissuaded from its use by the *roaring*, which will annoy them at first, but which they will soon disregard; that they never apply it over clothing, except when absolutely necessary, and that they make inference from the results with great caution.—F. I. KNIGHT.

A recent improvement is represented at P. It is a soft-rubber extremity, fitting over the tip O, which so readily adapts itself to an uneven surface as to remedy the difficulty experienced in applying the large ebony end to an emaciated patient.

	Post- age.
Price of Instrument as represented in cut . . . . .	\$9.50 16
" with Elastic Band, instead of modification described by Dr. Knight	7.00 15

These Stethoscopes are made in the best manner, the flexible portion being of the best English Silk Covered Tubing, the movement of which produces no sound of itself. They take apart at the joints LL, for the sake of greater compactness.

	Post- age.
<i>Stethoscopes</i> , Cedar, each . . . . .	\$ .50 04
Ebony " . . . . .	1.00 to 1.25 05
" ivory mounted, each . . . . .	2.50 05
Flexible, single Tube " . . . . .	1.50 04
<i>Percussor</i> , Flint's (see cut) . . . . .	1.25 05
Wintrich's . . . . .	2.50 06
<i>Pleximeter</i> , hard rubber (see cut) . . . . .	.38 02



Flint's Percussing Hammer, with Pleximeter.

<i>Sphygmograph</i> , Mairay's . . . . .	60.00
<i>Æsthesiometer</i> , Carroll's, for determining the extent of local paralysis . . . . .	4.00 02
<i>Dynamometer</i> , for testing the strength of the hand in paralysis . . . . .	8.00 06



## BARNES' DRY SPIROMETER.

For Measuring and Developing the Lungs,  
showing their Capacity in  
Cubic Inches.



The improvement patented in this Instrument is an air-tight, flexible diaphragm to hold the air, which makes it more portable, more durable, and much cheaper than those in which water and weights are employed, while equally correct. Inflating it a few times will show the size and strength of the lungs. The habitual use of it is thought to be beneficial and likely to prevent diseases of the lungs.

It is recommended by many eminent physicians in Boston and elsewhere.

Price . . . . . \$10.00

**SPLINTS, &c.**

Post-  
age.

*Day's Splints.* Whole set consists of the following:—

Extension Bar and Gaiter . . . . .	\$8.50	3 Jointed Arm . . . . .	\$4.50	
1 Large Double Inclined Plane . . . . .	8.50	3 Condyle and Humerus . . . . .	2.50	
1 Medium Inclined Plane . . . . .	7.25	2 Clavicle . . . . .	8.00	
1 Small Inclined Plane . . . . .	6.00	5 Dressing Splints . . . . .	.75	
8 Radius Splints . . . . .	6.00	4 Patella Splints . . . . .	4.75	
6 Fore-arm . . . . .	4.50	12 Ankle Splints . . . . .	13.00	
5 Interosseous . . . . .	2.50			
Price, per set, without Clavicle Yoke . . . . .			60.00	
“ “ with “ “ . . . . .			66.00	
<i>Splint Screws</i> , Double-Acting, for reducing Anchylosis, . . . . . pair			8.00	10
<i>Crimean Splints</i> . Set of 4 Flexible Pieces for Dressing . . . . . the set			1.00	06
<i>Sayre's Splints</i> , for Hip Joint Disease. Price, usual sizes . . . . .			12.00	
“ large sizes . . . . .			14.00 to 16.00	
<i>Fox's Clavicle Apparatus</i> (Bartlett's Modification), for Fractured Clavicle. Two sizes . . . . . Adult, 2.50; Children's, 1.50				05
Photographs showing it applied . . . . .			.25	03
<hr/>				
<i>Stomach Pump</i> , Brass, with Enema Attachments . . . . .			\$16.00	
“ “ <i>and Apparatus</i> , for Paracentesis Thoracis, approved by Dr. Henry I. Bowditch, accompanied with direc- tions kindly furnished by him . . . . .			30.00	
(See Aspirators with Stomach Pump Attachment, last leaf of cover.)				
<i>Trocars</i> , Exploring, small . . . . .			1.50 to 2.00	20
Ascites (sizes as per English Catheter gauge), . . . . .			1.75	02
Hydrocele do. do do. . . . .			1.75	02
Curved, for puncture of bladder per rectum . . . . .			2.50	04
Aspirator. (See Pneumatic Aspirators, last p. cover.)				

<b>Tape Measures</b> , self-winding, 3 feet . . . . .	\$ .50	02	Post- age.
" " " " 5 " . . . . .	.60	03	
<b>Teeth Extracting Forceps</b> , Octagon Joint. Every pair of Extracting Forceps bearing our name is of the best material and of first-class workmanship. Warranted one year from date of sale. Price . . . . .	2.75	10	
<b>Forceps</b> , similar to above, good quality and style, but not warranted . . . . .	2.00	10	

## DR. AVELING'S APPARATUS FOR IMMEDIATE TRANSFUSION.



The advantages of this method  
of transfusing blood are, —

1st. The chances of coagulation are small, because the blood is removed from the action of the living vessels for only a few seconds, and glides smoothly through the India-rubber pipe without being exposed to the air.

2d. The apparatus is effective, simple, portable, inexpensive, and not likely to get out of order.

3d. The operation is safe, easy, uninterrupted, and a close imitation of nature.

(See Transactions of Obst. Soc. of London, vol. 6, May 4, 1864; and Lancet, Aug. 3, 1872; also Obstetrical Journal, of August, 1873.)

N. B. The rubber bulb and tubes in this apparatus are the best and most durable. Great care has been used that there shall be no obstruction to the flow of blood, and therefore the least possible danger of coagulation. The metal parts are nickel-plated. Full printed directions with each.

Price . . . . . \$4.50 .06

Post-  
age.

## UTERINE AND GYNECOLOGICAL INSTRUMENTS.

### Neugebauer's Specula.

[From the Boston Medical and Surgical Journal of February 5th, 1875.]




Fig. 67.

These specula were first exhibited at the annual meeting of "Physicians and Naturalists," in Vienna, on September 20th, 1856, by Prof. Neugebauer, of Warsaw. The set consists of four blades, with short, flat handles, all of which fit into each other compactly, as represented in Fig. 67. They are consequently much less awkward and cumbersome to carry than either Sims' or Fergusson's speculum.

Each blade resembles in shape that of Sims', differing but slightly in the curve, and in not having its end rounded up, as is the case with Sims' blade. The main peculiarity of the instrument consists in the different blades being so proportioned to each other that any two consecutive sizes may be combined to form a tube; the lateral edges of the smaller are then enclosed within those of the larger (Fig. 67). The larger of the two selected is introduced posteriorly, as Sims' would be; the other

enters beneath the pubic arch. The point of the latter, which, at the outset, is in the hollow of the opposite blade, gradually emerges as the blade is pushed forward. It requires a little practice to enable one to perform this manipulation without inflicting some pain upon the patient. The result is a perfect tube, through which the cervix may be readily inspected. The four blades form three complete specula of different sizes.

The chief merit of the instrument is manifested, if, as often happens, the cervix is so directed that no view of the os can be obtained. By advancing one or the other blade, and, more especially, by rocking one upon the other, the vaginal portion may be tilted in the direction necessary to bring its orifice into the lumen of the speculum. When both blades are rocked forwards by means of the handles, the uterine extremities of the former separate and distend the vagina; this movement exerts a traction upon the uterus, which draws it downwards, nearer the light and within reach of the finger, if its density and firmness needs to be tested by the touch. In this respect, it contrasts most favorably with Fergusson's speculum, which always pushes the organ away from the vulva, and admits a comparatively meagre light. By the same divergence of the blades, the lips of the external os, when soft and patulous, may be drawn apart, thus rendering the cavity of the cervix visible for a short distance.




Fig. 68.



When one blade is held firmly and the other rocked, the traction upon the vaginal portion is chiefly to the corresponding side, and serves to change the direction of the uterine axis, so that the cavity of the organ assumes the most favorable position for inspection or treatment. The same divergence of the ends of the blades has the further advantage of exposing to view the whole vaginal portion of the uterus, as well as the vault of the vagina, instead of merely showing, as does Fergusson's speculum, the os and a small extent of the surface surrounding it.

This speculum is especially useful where the sound is to be employed as an aid to diagnosis; for, the uterus being drawn toward the vulva and such versions as may exist having been corrected by the means already described, the organ presents itself in the most favorable position for the introduction of the sound, and the speculum does not interfere with this manœuvre, no matter how greatly the sound is bent.

When being withdrawn, the handles should be rocked outwards, for the purpose of approximating the uterine ends of the blades, so that they may most readily pass through the vulva. Dr. Robert Barnes, in his new book on the Diseases of Women, states that two hands are required to hold the two blades *in situ*; this, however, is not found to be the case when the blades are properly adjusted to each other. After they are once in position, the constriction of the vaginal walls holds them so firmly together that they practically form one instrument, and, in ordinary cases, either handle will properly control the whole tube. Of course, these remarks do not apply to the occasions when one blade is rocked so as to exert great traction upon one side of the vaginal portion, for two hands are then evidently indispensable.

This speculum has answered so well in its practical working at the Dispensary for Diseases of Women, for the past few months, that but twice has the writer resorted to any other. In the first instance, the uterus was drawn up and fixed in so high a position that the curve of the blades was not sufficiently long to fit the unnaturally elongated vagina. In the second case, the vagina was so voluminous and its walls so relaxed, that, in spite of great divergence of the blades, folds of the vagina still interposed between their ends and the uterus, thus obstructing the view.

Dr. Barnes has constructed a modification of this speculum, which is more bulky, and, in my opinion, less serviceable, than the original.

[We are indebted to the author of the above paper, a physician of this city attending specially to diseases of women, for the pattern of these specula, brought from Vienna by him quite recently.

They have been received with so much favor by several of our patrons well qualified by experience to judge of their merit, that we are led to invite more general attention to their useful qualities. The following from a letter dated January 30, written us by a physician of large experience in the treatment of diseases requiring the use of instruments of this class, is presented as a fair sample of the expression in regard to these specula, with which, written or verbal, we meet almost daily:—]

CODMAN & SHURTLEFF.

Gentlemen, — The Speculum (Neugebauer's) I have used in quite a number of cases. In many respects it is the best speculum I have ever used.

First. — It is self-supporting.

Second. — It can be introduced without raising or pushing the uterus above its position in the pelvis. Also, where the larger blade is introduced, so that its remote end shall bear gently upon the posterior wall of the vagina, and is carried well up behind the womb, it will be seen that it not only does not push the mucous membrane in folds before it, but does not bruise, or touch even the os tincae. Gentle traction should then be made by this blade upon the perineum; at the same time the proximal end should be depressed so as to facilitate the introduction of the anterior and smaller blade.

When rightly introduced, the uterus will at once take the desired position between the blades, and will be more accessible than will be found in the use of any other instrument.

Price, for set of four pieces, making three sizes Speculum . . .	\$6.00	18
“ with screw attachment for making into form of Sims' . . .	7.00	18

Post-  
age.


## Vaginal Specula.

**The Storer Speculum.** The accompanying cuts represent an important improvement upon any form of speculum hitherto in use, lately devised by Prof. Horatio R. Storer, and

exhibited by him to the Suffolk District Medical Society, on Sept. 26th, and first presented to the profession by ourselves.

It will be seen that by a simple spring attachment at the side of the Cusco bivalve (represented at A), the blades may at once be disjointed, swung around back to back, and there fixed by a turn of the nut already existing upon the screw traversing the handles, with the effect of giving a retractor equal in working facilities to that of Sims'.

Dr. Storer's instrument is, in fact, a duplex one; as a speculum retaining the excellence of Cusco's instrument, and as a retractor better for ordinary purposes than the complicated and more expensive instruments of Emmet, Bozeman, Pallen and Bryant.



Price, nickel-plated . . . \$6.00 .12

We make a narrow size of the same length, also a shorter one of both widths, at same price.

(Dr. Storer's other instruments may also be obtained of us.)



Fig. 1. Brown's Wire Tractor.



Sims' Speculum.

## Specula.

	Post- age.
Vaginal, glass reflecting . . .	.75 .10
Brown's Wire Tractor and Spec- ulum (see cut), per pair . . .	1.00 .10
German silver, nickel-plated, three blades . . .	8.00 .16
Ricord's Bivalve, German silver . . .	6.00 .16
Woodward's " " . . .	
one blade short . . .	7.00 .16
Sims' (see cut), German silver, nickel-plated . . .	4.00 .10





**Dilating Forceps**, for rapid dilatation of the os uteri, Nott's (Fig. 3).

Post-  
age.  
\$3.50 06




Fig. 3.

Ellinger's (Fig. 4), so constructed that the branches remain parallel during dilatation.

8.00 08

Codman & Shurtleff's, similar to last,

7.00 08




Fig. 4.

**Dressing Forceps**, Elliot's

2.00 06

Self-holding (Fig. 5)

2.50 06




Fig. 5.

Bayonet-curve, small (Fig. 6)

2.50 06



Fig. 6.

Bayonet-curve, large (Fig. 7)

2.50 06




Fig. 7.

**Vulsellum Forceps**, three sizes

2.25, 2.75, 3.25 04

**Tenaculum** " Nott's, delicate

2.50 04

**Polypus** " ratchet catch

5.00 05

**Sounds**, Simpson's (Fig. 8), graduated

2.00 05



Fig. 8.

Simpson's (Fig. 9) Telescope, for convenience in carrying

3.00 05



Fig. 9.



**Elevator**, Nott's, for replacement, flexible (Fig. 13) . . . . . \$1.50 04



Fig. 13.

**Dilators**, Vaginal, Sims', glass, various sizes . . . . . .75 04

**Depressor**, Sims' . . . . . 1.50 04

**Tenaculum**, for fixing the uterus . . . . . 1.25, 2.00 03

**Curette**, Sims' . . . . . 1.50, 2.00 03

**Insufflator**, for powder (see page 51) . . . . . 2.00, 2.50 08

**Needle**, canulated, folding . . . . . 1.50 02

“ with slide for pushing wire . . . . . 3.50 03

for ruptured perineum . . . . . 1.00, 1.75 02

**Ecraseur**, plain, for wire (Fig. 14) . . . . . 5.50 08




Fig. 14.

Chain, small . . . . . 9.00 10  
“ large . . . . . 13.00, 20.00, 25.00




Fig. 15.

Cutter's Attachment, straight and curved, useful in many cases for lengthening the wire ecraseur represented in Fig. 14. Physicians wishing these attachments added to their instruments should send them to us, that they may be fitted accurately. German silver, nickel-plated . . . . . 4.00 04

**Ligator**, Crooker's, (Fig. 16). The spring is retained in a compressed state, until the ligature has been passed around the tumor, and its free ends secured to the cross-bar; it is then released, and removal of the tumor is accomplished gradually and with little danger of hemorrhage . . . . . 6.50 05




Fig. 16.

**Diagnosticator**, Warren's intra-uterine, for detecting and removing small growths . . . . . 6.00 04

**Syringe**, intra-uterine, hard rubber . . . . . 1.38 03

Gantillon's (Fig. 17), reverse flow, glass barrel, silver tube, in case . . . . . 6.50 04

With silver-plated tube . . . . . 5.00 04




Fig. 17.



**Syringe**, Molesworth's Intra-uterine (Fig. 18), consists of elastic bulb and double canula; the fluid is discharged directly forward towards the symphysis pubis, without danger of throwing the jet into the fallopian tubes, and escapes as fast as thrown in, or may be retained as long as desired, and all withdrawn by relaxing the pressure on the bulb; the tube is pure silver, and the curve is easily changed . . . . . \$6.00 10



Fig. 18.

**Knives**, Emmet's, and caustic holder combined . . . . . 9.00 06  
     Sims', blade may be set at any angle . . . . . 4.50 04  
     " latest, four blades with handle . . . . . 10.00 06  
**Repositor**, Sims' . . . . . 8.00 06  
     Eliot's . . . . . 8.00 06  
**Sponge Holder**, straight (Fig. 19) . . . . . 1.00, 1.25 03




Fig. 19.

**Applicator**, Emmet's (Fig. 20) flat silver wire, with spiral, for disengaging pledgets . . . . . 1.75 02



Fig. 20.


    Warner's, terminates with screw for carrying or placing pledgets . . . . . .75 02  
**Caustic Holders**, long flexible staff, with silver clasp . . . . . 2.50 03  
     Byford's, hard rubber case, silver clasp . . . . . 2.00 02  
     Lente's intra-uterine probe, coin silver . . . . . 1.25 03  
     " " " platinum . . . . . 3.00 03  
     Storer's modification, hard-rubber case, platinum probe . . . . . 3.50 04  
     Miller's concealed, platinum clasp . . . . . 12.00 08  
**Platinum Cup**, for fusing nitrate of silver . . . . . 3.00, 3.50 02  
**Scissors**, Küchenmeister's Metrotome . . . . . 5.00 06  
     Curved . . . . . 3.50 to 4.50; angular . . . . . 4.50 05  
**Hysterotome**, Simpson's . . . . . 7.00 06  
**Ointment Suppositor**, intra-uterine, hard rubber, with piston . . . . . 2.50 03  
**Barnes' Instrument**, for depositing fused sticks of sulphate of zinc . . . . . 2.75 03  
     **Ointment Positor** . . . . . 2.75 03  
     **Nitrate of Silver Cautery**, screw end . . . . .  
     **Pledget Speculum**, for use by patients (see cut) . . . . . 4.00 05



Barnes' Pledget Speculum.

**Dilators**, with stop-cocks, set of three, with Inflator . . . . . 5.00 08  
     " " singly, without " . . . . . 1.25 02  
**Bixby's Double Trocar and Canula**, curved, for drainage through vaginal cul-de-sac, after ovariotomy . . . . . 13.50 15  
     Same, straight, for Pelvic Abscess, &c. . . . . 12.50 15  
**Trocars**, Concealed . . . . . 5.00 05  
     Ovarian, Spencer Wells' . . . . . 10.00 15  
     Fitch's Modification of Spencer Wells' . . . . . 14. 20

<i>Case</i> , Buttle's dressing, . . . . .	\$23.00	24
Elliot's " . . . . .	27.00	54
(Uterine cases fitted up to order.)		
<i>Bandage</i> , monthly, for menstruation . . . . .	1.50	04
<i>Pessaries</i> . (See Pessaries.)		
<i>Cauterizing Irons</i> , three varieties of form, with socket handle . . . . .	4.50	08
<i>Braun's Colpeurynter</i> , for plugging vagina . . . . .	3.50	06
<i>Molesworth's Climax Dilator</i> (Fig. 23), for dilating the Os and Cervix Uteri, Urethra, Cervix Cystici, Sinus, Strictures of the Oesoph- agus, Vagina, Anus, &c. . . . .	15.00	27

Fig. 23.—Tubes,  $\frac{1}{8}$ ,  $\frac{3}{16}$ ,  $\frac{1}{2}$  and  $\frac{3}{4}$  inch in diameter.

## Instruments for Vesico-Vaginal Fistula.

<i>Sims' Bistoury</i> (Fig. 21) for paring the edges . . . . .	1.50	03
--	------	----



Fig. 21.

<i>Tenaculum</i> , for holding . . . . .	1.25	03
<i>Scissors</i> , curved . . . . .	4.50	05
<i>Sponge Holder</i> . . . . .	1.00, 1.25	03
<i>Needle Holders</i> , Canula (Fig. 22) . . . . .	4.00	04




Fig. 22.

<i>Holder's</i> , Beach's . . . . .	10.00	02
<i>Forceps</i> . . . . .	2.50, 3.50, 4.50	02
<i>Suture</i> , silver wire . . . . .	per foot, .06, .08, .10	03
<i>Fulcrum</i> , for supporting wire while being twisted . . . . .	1.50	03
<i>Fork</i> , with blunt points to aid passage of sutures . . . . .	1.25	02
<i>Hook</i> , for engaging needle . . . . .	1.50	02
<i>Forceps</i> , for twisting wire . . . . .	3.50	03
<i>Sigmoid Catheter</i> , silver . . . . .	1.25	02
hard rubber . . . . .	1.00	02
block tin . . . . .	.75	02
<i>Sims' Glass Vaginal Dilator</i> . . . . .	.75	04

## Urine Test Case.

**No. 1**, Black-walnut Box,  $9\frac{1}{2}$  inches long,  $5\frac{1}{2}$  inches wide,  $4\frac{1}{2}$  inches high, containing the following Instruments and Reagents: In the body of the Box are fitted a Spirit Lamp, two sets of Test Tubes, Watch Crystals, Evaporating Dish, Pipettes, Steel Forceps, and one bottle each Hydrochloric, Nitric, Sulphuric and Acetic Acids; Aqua-Ammonia, Sulphate of Copper and Liquor Potassa. A tray, fitted into the Box,

contains a Urinometer and Glass, Red and Blue Litmus Paper, Microscopic Slides, Test Tube Holder, and Stirring Rods. In the cover is fitted a rack for holding the Test Tubes, which may be taken out and set up, or taken apart and repacked in a moment. . . . . \$12.00

**No. 2,** Approved by Professor E. S. Wood, of Harvard University. Black-walnut Box, 15½ inches long, 9¼ inches wide, 7¼ inches high, containing Drop Bottle for Nitrate of Silver, Urinometer and Glass, nine Test Tubes, Black-walnut Rack for holding Test Tubes, Stirring Rods, Pipettes, Evaporating Crucible (covered), Litmus and Tumeric Paper, Watch Crystals, Microscopic Slides, Steel Pliers, Microscopic Forceps, Conical Urine Glass, and Spirit Lamp, and the following Reagents: Four ounces each of Sulphuric, Hydrochloric, and Nitric Acids; Aqua Ammonia, Solution for Sulphates, with formula; Solution for Alkaline Phosphates, with formula; Potassie Hydrate; one ounce each of Sulphate of Copper, Nitrate of Silver and Acetic Acid . . . . . 25.00

<b>Urinometers,</b> common . . . . .	.80	06
"    best . . . . .	2.50	10
<b>Urine Test Tubes</b> . . . . . each .12; per doz.	1.25	10
<b>Litmus Paper</b> . . . . . " sheet	.10	03
<b>Turmeric</b> " . . . . . " "	.10	03

## URETHRA, STRICTURE AND LITHOTOMY INSTRUMENTS.

### **Bougies.**

		Post- age.
English, Nos 1 to 12, each	\$ .25	02
"    larger sizes, "	.40	02
French Conical, "	.75	02
"    Olive Tip, . . .	.75	02
"    Filiform, . . .	.75	02
Block Tin . . . . .	.50	05
Acorn Tip, elastic . . .	1.00	02
"    flexible metal	.75	03
Whalebone, delicate . .	.50	02
Gouley's Catheter Staff, elastic	.75	02
"    "    metal	3.50	04
Steel Sounds, Nos. 1 to 12	1.00	06
"    "    "    13 to 18	1.25	08
"    "    conical, nickel-plated . . . . .	1.50	06
(Metal Bougies of special shapes made to order at short notice.)		

### **Catheters.**

English, Nos. 1 to 12, each	.25	02
"    larger sizes "	.40	02
"    prostatic "	.75	04
French, olive tip . . .	.90	02
Block Tin . . . . .	.75	05
Soft Rubber . . . . .	.62	02
"    "    with wings .	1.50	02
Male, silver-plated, each	1.00	05
"    "    Prostatic	1.25	05
Female " . . . . .	.50	02
<i>Coin Silver, French Curve:—</i>		
Nos. 1 and 2, each . . .	1.50	05

### **Catheters.**

		Post- age.
Nos. 3, 4 and 5, each . .	\$1.75	05
"    6, 7 and 8, "	2.25	05
"    9 and 10, "	2.50	05
"    11 and 12, "	2.75	05
<i>Coin Silver, Prostatic:—</i>		
Nos. 1 and 2, each . . .	2.25	05
"    3, 4 and 5, each . .	2.50	05
"    6, 7 and 8 " . . .	3.00	05
"    9 and 10 " . . .	3.25	05
"    11 and 12 " . . .	3.50	05
Female silver . . . . .	1.00	02
"    with stopper " . .	1.25	02
"    Sims' " . . . . .	1.25	02
Male and female combined, silver . . . . .	3.25	05
Male and female combined, silver-plated . . . . .	1.50	05
Male, Double Current, silver	6.00	06
"    "    "    plated	4.00	06
Female, "    "    silver	4.00	03
"    "    "    plated	3.00	03
Squire's Vertebrated, silver	8.00	05
"    "    silver-plated	5.50	05
<b>Caustic Instruments.</b>		
Lallemand's silver Capsule	5.00	05
"    platina " . . . .	7.00	05
<b>Holt's Stricture Dilators</b>	20.00	24
<b>Gouley's</b> "    " . . . .	14.00	12
<b>Priestley's</b> "    " . . . .	14.00	12




	Post- age.		Post- age.
<b>Otis' Stricture Dilator and Cutter</b> . . . . .	\$35.00 12	<b>Lithotomy Scoops</b> . . . . .	\$2.50 03
<b>Maissonneuve's Stricture Cutter</b> . . . . .	14.00 12	Sound, hollow, for inject's .	12.00 06
(Other forms furnished to order.)		Steel Sounds, each . . . . .	1.00 06
<b>Endoscopes, Wales'</b> . . . . .	35.00	Thompson's Searcher . . . . .	5.00 04
<b>Symes' Stricture Staff</b> . . . . .	2.50 04	Calculus Extractor . . . . .	4.50 04
<b>Lithotomy Staff</b> . . . . .	2.00 04	Urethral Forceps . . . . .	2.00 03
Director, female . . . . .	2.00 03	Canula, for Perineal incision .	2.00 03
Bistoury . . . . .	2.00 03	Lithotrites, Thompson's . . .	35.00 15
Scalpel . . . . .	1.50 03	" . . . . .	18.00, 25.00 15
Forceps . . . . .	2.50, 3.00 08	<b>Phymosis Forceps</b> . . . . .	2.50, 3.50 03
" for crushing . . . . .	6.00 08	<b>Penis Congestor</b> . . . . .	5.00 32
		<b>Spermatorrhœa Ring</b> . . . .	1.50 02

## VETERINARY INSTRUMENTS.

**Balling Irons, Mouth Rasps, Teeth Forceps, Cattle Probangs,**  
Trachea Tubes (plated), Trocars, Fleams, (plain and spring), Seton Needles, Seton Scissors, Scalpels, Bistouries, Lancets, Nicking Knives, Castrating Instruments, Clamps and Torsion Forceps, Embryotomy Knives, Wire Needles, Tin and Silver Wire, Horse Catheters, (flexible), Mare Catheters, (metal), Syringes, Milking Tubes, pocket cases of Instruments, &c., &c.

## VACCINATORS.


### The Automatic Vaccinators.



The following description applies to both the Whittemore's and Zirbes' instrument.

A, Perforator, having its end counter-sunk or hollowed to receive a small quantity of the crust.

In using the instrument, the forefinger is passed into the ring C, and the thumb pressed upon the Lever B, by which the Perforator is raised, and after reaching a certain height is disengaged by the proper mechanism, when it descends with the force of the spring, and, slightly puncturing the skin, deposits the virus.



A single, easy motion, in one direction, is all that is required to operate the instrument, — the skin being punctured and the matter deposited simultaneously. The pain attending its use is so slight, as rarely to awaken a sleeping child, while the operation is rendered much more certain than by other methods.

Every one warranted.

Price, post-paid, in paper box \$3.00  
" " " neat case 3.50

<b>Evans' Thumb Lancets</b> (English), each . . . . .	\$1.00
<b>Charriere's Thumb Lancets</b> (French), each . . . . .	1.00
<b>Thumb Lancets</b> , our own manufacture . . . . .	.75
<b>Vaccinating Lancets</b> . . . . .	.75
<b>Weiss' Vaccinator</b> , having seven Scarifying Points and Lancet Blade, both folding in Shell Handle . . . . .	1.00
<b>Scarifying Vaccinator</b> , with six Needle Points, in neat Metallic Handle, Nickel-plated . . . . .	.50
<b>Scarifying Vaccinator</b> , polished steel, with five points . . . . .	.25

## VACCINE VIRUS.

IN order to meet the constantly increasing demand upon us for ANIMAL VIRUS, we have established stables for its propagation upon carefully selected heifers. The lymph used is of the well-known "Beaugency" stock, and imported by ourselves expressly for this purpose. The result of several years' experience in supplying this lymph leads us to believe that its excellence is unsurpassed. The establishment is under the care of a competent physician, who will spare no pains to produce a perfectly RELIABLE and PURE article, which we are prepared to furnish FRESH, DAILY.

We can also furnish, to those who prefer it, HUMANIZED VIRUS, from healthy children, procured for us by physicians of undoubted reliability.

All our Virus is put up in strong, *air-tight, sealed packages*, for safe conveyance by mail or express, and will be sent (post paid if by mail) upon the following terms:—

<b>From the Heifer</b> , 10 large Ivory Points . . . . .	1.50
1 Crust of Primary Formation . . . . .	4.00
1 Capillary Tube, undiluted . . . . .	3.00

We find Kine *Crusts* less reliable than those from the Infant, or either kind of Points. Yet we do not feel at liberty to decline orders for them, if required by our patrons; but it should be understood that we do not *recommend* their use.

<b>From Healthy Infants</b> , 10 small Ivory Points . . . . .	\$1.50
1 Crust from Unruptured Vesicles . . . . .	3.00

We will warrant every package of Points and every Crust, giving a fresh supply in case of failure reported within fifteen days, for Points, and thirty days for Crusts. We can usually furnish Crusts one remove from the heifer if preferred.

We also furnish *Uncharged Ivory Points*, for physicians' use, at the following rates:—

Small . . . . .	per 100, 30 cents; per 1,000 .	2.50
Large . . . . .	per 100, 60 cents; per 1,000 .	5.00

Orders by mail or telegraph answered by return train.

## TRUSSES, SUSPENSORIES, &c.

### Surgical and Mechanical Appliances.

For this Department we have convenient Rooms, communicating with both Store and Factory, where patients can be examined, measured, and apparatus skilfully adjusted by persons of long experience, giving sole attention to this department.

Our assortment includes Trusses of various patterns, suited to all cases of hernia, however difficult, in persons of any age or either sex.

*Trusses for Prolapsus Ani, English Enamelled Bathing Trusses, Mocmain Trusses, Trusses for Radical Cure*,—adapted to the requirements of each case.

*Spring and Elastic Abdominal Supporters*, including latest improvements.

*English Drilling Abdominal Supporters*, with pads for obese persons having umbilical hernia.

*Silk and Cotton Elastic Supporters or Belts*, for wear during and following pregnancy.

*Dr. Banning's Improved Abdominal Brace*, and *Spinal Shoulder Brace*; also his *Symmetrizer*, for Spinal Weakness and Curvature.

*Dr. Taylor's Spinal Apparatus.*

*Back Boards*, for Spinal Weakness.


*Serpentine Spring Corsets*, to order, from exact measurements.

*English Riding Belts, Suspensory Bandages*, of every desirable kind, and made to order, when required, for Hydrocele, &c.

*Chest-Expanding Shoulder Braces* with Skirt Supporter for ladies.

*Steel Spring Frames*, for correction of Bow Legs, Knock-Knees, Weak Ankles, Shortened Limbs, and other deformities and deficiencies.

*Dr. Sayre's Splints*, for Hip-Joint disease.



### Agents for the very superior Douglas Artificial Limbs.

We are able to assure physicians and surgeons, who may recommend patients to us, that our facilities and experience enable us to give almost invariable satisfaction in cases where mechanical applications are indicated.

In ordering Trusses and Supporters for persons who cannot visit us, please send measure around the hips. In cases of rupture, please state the location and other particulars, as delay and trouble are thereby avoided.

☞ Directions and diagrams for measuring, for any required apparatus, forwarded on application.



**Trusses, Abdominal Supporters, &c.****Trusses for Adults.**

Ball and Socket, hard or soft pads, single . . . . .	\$4.00
" " " " " " double . . . . .	7.00
Ratchet, hard or soft pad, single . . . . .	4.00
" " " " " " double . . . . .	7.00
Spiral Spring pad, single . . . . .	4.00
" " " " " " double . . . . .	7.00
French style, or long pad, single . . . . .	4.00
" " " " " " double . . . . .	7.00
L. B. White's Patent Lever, hard pads, single . . . . .	7.00 to 10.00
" " " " " " double . . . . .	10.00 " 20.00
Hard Rubber, single . . . . .	8.00
" " double . . . . .	10.00
Moc-Main or Varicocele . . . . .	
Trusses for Prolapsus Ani . . . . .	
Dr. Banning's, with separate attachments for either kind of Hernia or Prolapsus, and for spinal and abdominal support . . . . .	10.00 to 20.00

**Children's and Youth's Trusses,**

Ratchet, hard or soft pads, single . . . . .	3.00
" " " " " " double . . . . .	5.00
French, soft pads, single . . . . .	3.00
" " " " " " double . . . . .	5.00
" cheap style, soft pads, single . . . . .	2.00
" " " " " " double . . . . .	3.00

**Umbilical Trusses and Belts.**

Umbilical Trusses . . . . .	5.00
" Belts, with Adjustable Pads . . . . .	5.00
" " children's . . . . .	2.50


**Abdominal Supporters.**

Chapin's . . . . .	4.00
Boston . . . . .	4.00
London . . . . .	5.00
Fitch's . . . . .	4.00
Banning's, with attachment for either kind of Hernia, or for Prolapsus Uteri, Prolapsus Ani, or Spinal Curvature . . . . .	

The above-described Trusses and Supporters are nearly all of our own manufacture, and will be found of the first class as regards quality, adaptation, and workmanship. The prices are those for which we adapt them to the patient. Physicians sending measures, and taking the trouble and responsibility of fitting patients, will receive them at a discount of 33 1-3 per ct. from these prices.

**Suspensory Bandages.**

Cotton, each . . . . .	.37 to .75
Silk " . . . . .	1.00 " 2.00
Rawson's, five qualities, each . . . . .	1.50, 1.75, 2.00, 2.50, 3.00

 *Directions for Measuring* for Trusses, Supporters, Crutches, Apparatus for Deformities, &c., will be sent if requested.

## ELASTIC HOSE.

We call attention to our ELASTIC HOSE as of the *very best* quality, and consequently likely to prove durable and satisfactory to purchasers.

### DIRECTIONS FOR MEASURING.

Take the measure in the morning, immediately after rising.


Indicate the measure around *the limb* in inches, opposite the dotted lines of the cut.


For Stocking to cover the entire limb, measure at A B C E G H.

For Stocking to reach to G, measure at A B C E G.

For Stocking to reach to D, measure at A B C D.

For Knee-Cap, measure at D E F.

 Please state if you wish Silk or Cotton.



### PRICES.

(These prices are for single Hose, not pairs.)

To reach to H—		To reach from D to F (Knee-Caps)—	
Best Silk . . . . .	\$13.00	Best Silk . . . . .	\$3.50
Cotton . . . . .	8.00	Cotton . . . . .	2.50
To reach to G—		To reach from A to B (Anklets)—	
Best Silk . . . . .	8.50	Best Silk (only) . . . . .	3.50
Cotton . . . . .	5.50		
To reach to D—		To reach from B to D (Leggins)—	
Best Silk . . . . .	5.00	Best Silk (only) . . . . .	4.00
Cotton . . . . .	3.00		

(Special Hose made to order.)

Hose ordered to be sent by mail, will be sent prepaid by parcel post, at the risk of purchaser, when cash accompanies the order.

Unusual sizes and forms, for special cases, made to order. Also, Elastic Abdominal Belts, for Obesity, Pregnancy, Weakness, &c.

**Elastic Abdominal Belts.** For use during pregnancy, and when abdominal support is required. Silk . . . . . \$12.00  
Cotton . . . . . 7.50

A discount of 25 per cent. from the prices of Elastic Hose and Belts, to physicians.

Having our Factory, with steam power, ample machinery, and experienced workmen, connected with our store, we can promptly make to order, in the best manner, new Instruments and Apparatus, and supply new inventions on favorable terms; also sharpen and repair Surgical and Dental Instruments.



# Pneumatic Aspirators.

*We invite the attention of the Medical Profession to our New Apparatus for Aspiration, constructed upon the general plan of Potain's Modification of Dieulafoy's Aspirator, but containing the following improvements and inventions of our own.*

1st. Means of changing the pump from an exhaust to a force pump, and *vice versa*, thereby enabling the operator not only to withdraw an abnormal fluid, but to inject the cavity through the tubes and needle of the Apparatus with one adapted to induce healthy action. — See *Dieulafoy on Aspiration*, pp. 276, 278.

2d. The employment, in our Apparatus No. 1, of a Metal Screw Cap, fitting the neck of the Receiver supplied with this Apparatus so securely that it cannot be forced from its place by condensed air while injecting, or accidentally removed while the Receiver is in a state of vacuum for aspiration.

3d. The use of indestructible valves.

Instead of the oiled silk valves of French and other American apparatus, which are almost certainly injured by contact with liquids, — for instance, the accidental and almost unavoidable introduction either of a few drops of the aspirated fluid, or of the oil used for lubricating the pump, — we employ a light metal valve, fitting a metallic seat, the two ground together so as to secure close contact. They are unchangeable in form, and cannot be injured by contact with fluids. If desired, they may be as freely used, and the pump also, for liquids as for air. These valves are readily accessible by unscrewing the valve chambers, and require no care beyond occasionally wiping valve and seat with soft paper or cloth to remove dust or adherent particles should they fail to work perfectly.

4th. An attachment for evacuating the contents of the stomach by adaptation to the pump and valves which accompany the Aspirator, of a suitable stopper, cocks, rubber hose, and stomach tube. The stopper is of form and size to fit almost any large bottle, jug, or demijohn, such as may be found in most houses.

Thus at half the cost of an ordinary stomach pump, the physician having the Aspirator may supply himself with a means of evacuating and of washing out the stomach, equal, if not superior, to any in use hitherto.

Hundreds of our Aspirators are now in use. Commendations bestowed upon them by physicians familiar with the latest European and American ones, lead us to believe that, in some important particulars at least, they are superior to any.

In his work on Pneumatic Aspirations, Dieulafoy shows the harmlessness of the Aspiratory Puncture and its great superiority to the Exploring Trocar as a means of accurate diagnosis in all collections of pathological Fluids. It has been used with unprecedented success in Retention of Urine, Reduction of Strangulated Hernia, in Ascites, Hydrothorax, Empyema, Pneumothorax, Effusions into the Pericardium, Serous, Purulent and Hematic Effusions of the Knee, Hydrocele, Hydatid Cysts, Abscesses of the Liver, and in various other Pathological Leisons.

## PRICES OF APPARATUS.

**No. 1. Air Pump** — Exhaust or condensing as described; 16 oz. receiver, of strong glass, with screw cap; three steel, gold-plated Aspiratory Needles, together with the necessary tubes, stop-cocks, &c., as shown in Fig. 68, fitted in a neat case, accompanied with printed directions..... \$18.00

**No. 2.** The same, without receiver and with rubber stopper (see Fig. 69) to fit almost any bottle of quart capacity or less, instead of screw-cap arrangement, also with printed directions..... 16.00

**No. 3. Dieulafoy's Notched Aspirator**, Nickel-plated, with two Needles, tubes, &c., in case..... 14.00

**No. 4.** Stomach Attachment, as described, adapted to pump accompanying Nos. 1 and 2, additional..... \$6.00


For Pump and Brass Parts of Nos. 1 or 2, Nickel-plated, add..... 1.50

Simple Trocars, Gold-plated, Nos. 1, 2, and 3, each..... 2.00

Trocars, with Stop-cock, Gold-plated, to fit any of the above, Nos. 4, 5, and 6..... 6.50

*The foregoing are the product of our own factory, and are warranted in every respect*

**Dieulafoy on Pneumatic Aspiration**, post-paid, on receipt of..... 3.40

 For Cut and further description, see next page.



# PNEUMATIC ASPIRATION,

AFTER THE MANNER OF DIEULAFOY.

"It is always possible, owing to Aspiration, to search for a fluid collection without any danger, whatever may be its seat or its nature."

"I have thrust these Needles into almost every part of the body, into the Joints, the Liver, the Spleen, the Bladder, the Intestines, the Lungs and the Meninges, and I can affirm, and a great number of observers affirm with me, that we have never seen consecutive accidents."

*Dieulafoy on Pneumatic Aspiration, pp. 21, 24.*




Fig. 69.  
The Stopper and Cocks  
supplied with Apparatus  
No. 2.




Fig. 68.

Description.—A, Brass Air Pump. B, C, Chambers containing valves. By reversing the position of the chambers, the pump may be used at will as an exhaust or as a force-pump. A double milled circle around one end of each indicates, when these circles on both chambers are *towards* the pump, that it is an exhaust pump; when the circles are turned from the pump, that it is a force-pump. The Chamber, C, is reversed by turning it with the tube end for end. D, E, Metallic Joints or Couplings, either of them fitting the pump or the air cock, H, as required. F, Glass Receiver of sixteen-ounce capacity, having a coarse screw-thread cast into the glass of the neck so as to screw into a corresponding thread in the brass cap, G, making an air-tight joint by means of rubber packing. I, Fluid Cock. K, L, Metallic Couplings. M, short piece of Glass Tube to give early notice if fluid has passed the needle. Nos. 1, 2, and 3, Aspirator Needles, steel, hardened and tempered at cutting point and plated with gold.

N. B. For further description see the other side of this leaf.

CODMAN & SHURTLEFF,

Makers and Importers of Surgical Instruments of every description,

13 & 15 TREMONT STREET, BOSTON.